



ICD-9-CM Code	ICD-10-CM Code(s)	
<b>433.10</b>	Occlusion and stenosis of carotid artery without mention of cerebral infarction	
ICD-10-CM Codes	<b>I65.21</b> Occlusion and stenosis of right carotid artery <b>I65.22</b> Occlusion and stenosis of left carotid artery <b>I65.23</b> Occlusion and stenosis of bilateral carotid arteries <b>I65.29</b> Occlusion and stenosis of unspecified carotid artery	
<b>440.21</b>	Atherosclerosis of native arteries of the extremities with intermittent claudication	
ICD-10-CM Codes	<b>I70.211</b> Atherosclerosis of native arteries of extremities with intermittent claudication, right leg <b>I70.212</b> Atherosclerosis of native arteries of extremities with intermittent claudication, left leg <b>I70.213</b> Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs <b>I70.218</b> Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity <b>I70.219</b> Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity ** Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17-</b> ) tobacco use ( <b>Z72.0</b> )	
<b>441.4</b>	Abdominal aneurysm without mention of rupture	<b>I71.4</b> Abdominal aortic aneurysm, without rupture
<b>443.9</b>	Peripheral vascular disease, unspecified	
ICD-10-CM Codes	<b>I73.9</b> Peripheral vascular disease, unspecified ** There are more specific code choice selections available. These include: <b>I73.00</b> Raynaud's syndrome without gangrene <b>I73.01</b> Raynaud's syndrome with gangrene <b>I73.1</b> Thromboangiitis obliterans (Buerger's disease) <b>I73.81</b> Erythromelalgia <b>I73.89</b> Other specified peripheral vascular diseases	
<b>459.81</b>	Venous (peripheral) insufficiency, unspecified	<b>I87.2</b> Venous insufficiency (chronic) (peripheral)
<b>585.6</b>	End stage renal disease	
ICD-10-CM Codes	<b>N18.6</b> End stage renal disease ** Use additional code to identify dialysis status ( <b>Z99.2</b> ) Code first any associated: Diabetic chronic kidney disease ( <b>E08.22, E09.22, E10.22, E11.22, E13.22</b> ) Hypertensive chronic kidney disease ( <b>I12-, I13-</b> ) Use additional code to identify kidney transplant status, if applicable ( <b>Z94.0</b> )	
<b>729.5</b>	Pain in limb	
ICD-10-CM Codes	<b>M79.609</b> Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: <b>M79.601</b> Pain in right arm <b>M79.602</b> Pain in left arm <b>M79.603</b> Pain in arm, unspecified <b>M79.604</b> Pain in right leg	

ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	<b>M79.605</b> Pain in left leg <b>M79.606</b> Pain in leg, unspecified <b>M79.621</b> Pain in right upper arm <b>M79.622</b> Pain in left upper arm <b>M79.629</b> Pain in unspecified upper arm <b>M79.631</b> Pain in right forearm <b>M79.632</b> Pain in left forearm <b>M79.639</b> Pain in unspecified forearm <b>M79.641</b> Pain in right hand <b>M79.642</b> Pain in left hand <b>M79.643</b> Pain in unspecified hand <b>M79.644</b> Pain in right finger(s) <b>M79.645</b> Pain in left finger(s) <b>M79.646</b> Pain in unspecified finger(s) <b>M79.651</b> Pain in right thigh <b>M79.652</b> Pain in left thigh <b>M79.659</b> Pain in unspecified thigh <b>M79.661</b> Pain in right lower leg <b>M79.662</b> Pain in left lower leg <b>M79.669</b> Pain in unspecified leg <b>M79.671</b> Pain in right foot <b>M79.672</b> Pain in left foot <b>M79.673</b> Pain in unspecified foot <b>M79.674</b> Pain in right toe(s) <b>M79.675</b> Pain in left toe(s) <b>M79.676</b> Pain in unspecified toe(s)	
<b>440.23</b>	Atherosclerosis of native arteries of the extremities with ulceration	
ICD-10-CM Codes	<b>I70.25</b> Atherosclerosis of native arteries of other extremities with ulceration ** Use additional code to identify the severity of the ulcer ( <b>L98.49-</b> ) Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17-</b> ) Tobacco use ( <b>Z72.0</b> ) * There are more specific code choice selections available in ICD-10-CM. These include: <b>I70.231</b> Atherosclerosis of native arteries of right leg with ulceration of thigh <b>I70.232</b> Atherosclerosis of native arteries of right leg with ulceration of calf <b>I70.233</b> Atherosclerosis of native arteries of right leg with ulceration of ankle <b>I70.234</b> Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot <b>I70.235</b> Atherosclerosis of native arteries of right leg with ulceration of other part of foot <b>I70.238</b> Atherosclerosis of native arteries of right leg with ulceration of other part of lower right leg <b>I70.239</b> Atherosclerosis of native arteries of right leg with ulceration of unspecified site <b>I70.241</b> Atherosclerosis of native arteries of left leg with ulceration of thigh <b>I70.242</b> Atherosclerosis of native arteries of left leg with ulceration of calf <b>I70.243</b> Atherosclerosis of native arteries of left leg with ulceration of ankle <b>I70.244</b> Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot	



ICD-9-CM Code	ICD-10-CM Code(s)
<b>440.23</b>	Continued
ICD-10-CM Codes (cont.)	<p><b>170.245</b> Atherosclerosis of native arteries of left leg with ulceration of other part of foot</p> <p><b>170.248</b> Atherosclerosis of native arteries of left leg with ulceration of other part of lower left leg</p> <p><b>170.249</b> Atherosclerosis of native arteries of left leg with ulceration of unspecified site</p>
<b>454.0</b>	Varicose veins of lower extremities with ulcer
ICD-10-CM Codes	<p><b>** Use additional code to identify severity of ulcer (L97.0)</b></p> <p><b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>183.001</b> Varicose veins of unspecified lower extremity with ulcer of thigh</p> <p><b>183.002</b> Varicose veins of unspecified lower extremity with ulcer of calf</p> <p><b>183.003</b> Varicose veins of unspecified lower extremity with ulcer of ankle</p> <p><b>183.004</b> Varicose veins of unspecified lower extremity with ulcer of heel and midfoot</p> <p><b>183.005</b> Varicose veins of unspecified lower extremity with ulcer other part of foot</p> <p><b>183.008</b> Varicose veins of unspecified lower extremity with ulcer other part of lower leg</p> <p><b>183.009</b> Varicose veins of unspecified lower extremity with ulcer of unspecified site</p> <p><b>183.011</b> Varicose veins of right lower extremity with ulcer of thigh</p> <p><b>183.012</b> Varicose veins of right lower extremity with ulcer of calf</p> <p><b>183.013</b> Varicose veins of right lower extremity with ulcer of ankle</p> <p><b>183.014</b> Varicose veins of right lower extremity with ulcer of heel and midfoot</p> <p><b>183.015</b> Varicose veins of right lower extremity with ulcer other part of foot</p> <p><b>183.018</b> Varicose veins of right lower extremity with ulcer other part of lower leg</p> <p><b>183.019</b> Varicose veins of right lower extremity with ulcer of unspecified site</p> <p><b>183.021</b> Varicose veins of left lower extremity with ulcer of thigh</p> <p><b>183.022</b> Varicose veins of left lower extremity with ulcer of calf</p> <p><b>183.023</b> Varicose veins of left lower extremity with ulcer of ankle</p> <p><b>183.024</b> Varicose veins of left lower extremity with ulcer of heel and midfoot</p> <p><b>183.025</b> Varicose veins of left lower extremity with ulcer other part of foot</p> <p><b>183.028</b> Varicose veins of left lower extremity with ulcer other part of lower leg</p> <p><b>183.029</b> Varicose veins of left lower extremity with ulcer of unspecified site</p>
<b>440.20</b>	Atherosclerosis of native arteries of the extremities, unspecified
ICD-10-CM Codes	<p><b>170.209</b> Unspecified atherosclerosis of native arteries of extremities, unspecified extremity</p> <p><b>*Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)</b></p> <p><b>** Use additional code to identify:</b></p> <p>Exposure to environmental tobacco smoke (<b>Z77.22</b>)</p> <p>History of tobacco use (<b>Z87.891</b>)</p> <p>Occupational exposure to environmental tobacco smoke (<b>Z57.31</b>)</p> <p>Tobacco dependence (<b>F17-</b>)</p> <p>Tobacco use (<b>Z72.0</b>)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p><b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>170.201</b> Unspecified atherosclerosis of native arteries of extremities, right leg</p> <p><b>170.202</b> Unspecified atherosclerosis of native arteries of extremities, left leg</p> <p><b>170.203</b> Unspecified atherosclerosis of native arteries of extremities, bilateral legs</p> <p><b>170.208</b> Unspecified atherosclerosis of native arteries of extremities, other extremity</p>
<b>707.13</b>	Ulcer of ankle, except pressure ulcer
ICD-10-CM Codes	<p><b>L97.309</b> Non-pressure chronic ulcer of unspecified ankle with unspecified severity</p> <p><b>** Code first any associated underlying condition:</b></p> <p>Atherosclerosis of the lower extremities (<b>I70.23-</b>, <b>I70.24-</b>, <b>I70.33-</b>, <b>I70.34-</b>, <b>I70.43-</b>, <b>I70.44-</b>, <b>I70.53-</b>, <b>I70.54-</b>, <b>I70.63-</b>, <b>I70.64-</b>, <b>I70.73-</b>, <b>I70.74-</b>)</p> <p>Chronic venous hypertension (<b>I87.31-</b>, <b>I87.33-</b>)</p> <p>Diabetic ulcers (<b>E08.621</b>, <b>E08.622</b>, <b>E09.621</b>, <b>E09.622</b>, <b>E10.621</b>, <b>E10.622</b>, <b>E11.621</b>, <b>E11.622</b>, <b>E13.621</b>, <b>E13.622</b>)</p> <p>Postphlebotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)</p> <p>Postthrombotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)</p> <p>Varicose ulcer (<b>I83.0-</b>, <b>I83.2-</b>)</p> <p>Code first any associated gangrene (<b>I96</b>)</p> <p><b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>L97.301</b> Non-pressure chronic ulcer of unspecified ankle limited to breakdown of skin</p> <p><b>L97.302</b> Non-pressure chronic ulcer of unspecified ankle with fat layer exposed</p> <p><b>L97.303</b> Non-pressure chronic ulcer of unspecified ankle with necrosis of muscle</p> <p><b>L97.304</b> Non-pressure chronic ulcer of unspecified ankle with necrosis of bone</p> <p><b>L97.309</b> Non-pressure chronic ulcer of unspecified ankle with unspecified severity</p> <p><b>L97.311</b> Non-pressure chronic ulcer of right ankle limited to breakdown of skin</p> <p><b>L97.312</b> Non-pressure chronic ulcer of right ankle with fat layer exposed</p> <p><b>L97.313</b> Non-pressure chronic ulcer of right ankle with necrosis of muscle</p> <p><b>L97.314</b> Non-pressure chronic ulcer of right ankle with necrosis of bone</p> <p><b>L97.319</b> Non-pressure chronic ulcer of right ankle with unspecified severity</p> <p><b>L97.319</b> Non-pressure chronic ulcer of right ankle with unspecified severity</p> <p><b>L97.321</b> Non-pressure chronic ulcer of left ankle limited to breakdown of skin</p> <p><b>L97.322</b> Non-pressure chronic ulcer of left ankle with fat layer exposed</p> <p><b>L97.323</b> Non-pressure chronic ulcer of left ankle with necrosis of muscle</p> <p><b>L97.324</b> Non-pressure chronic ulcer of left ankle with necrosis of bone</p> <p><b>L97.329</b> Non-pressure chronic ulcer of left ankle with unspecified severity</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>440.22</b>	Atherosclerosis of native arteries of the extremities with rest pain
ICD-10-CM Codes	<p><b>I70.229</b> Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity</p> <p>** Use additional code to identify: Exposure to environmental tobacco smoke (<b>Z77.22</b>) History of tobacco use (<b>Z87.891</b>) Occupational exposure to environmental tobacco smoke (<b>Z57.31</b>) Tobacco dependence (<b>F17-</b>) Tobacco use (<b>Z72.0</b>)</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>I70.221</b> Atherosclerosis of native arteries of extremities with rest pain, right leg <b>I70.222</b> Atherosclerosis of native arteries of extremities with rest pain, left leg <b>I70.223</b> Atherosclerosis of native arteries of extremities with rest pain, bilateral legs <b>I70.228</b> Atherosclerosis of native arteries of extremities with rest pain, other extremity</p> <p>*Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (<b>I70.92</b>)</p>
<b>440.24</b>	Atherosclerosis of native arteries of the extremities with gangrene
ICD-10-CM Codes	<p><b>I70.269</b> Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity</p> <p>** Use additional code to identify: Exposure to environmental tobacco smoke (<b>Z77.22</b>) History of tobacco use (<b>Z87.891</b>) Occupational exposure to environmental tobacco smoke (<b>Z57.31</b>) Tobacco dependence (<b>F17-</b>) Tobacco use (<b>Z72.0</b>)</p> <p>Use additional code to identify the severity of any ulcer (<b>L98.49-</b>) if applicable</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>I70.261</b> Atherosclerosis of native arteries of extremities with gangrene, right leg <b>I70.262</b> Atherosclerosis of native arteries of extremities with gangrene, left leg <b>I70.263</b> Atherosclerosis of native arteries of extremities with gangrene, bilateral legs <b>I70.268</b> Atherosclerosis of native arteries of extremities with gangrene, other extremity</p> <p>*Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (<b>I70.92</b>)</p>
<b>707.12</b>	Ulcer of calf, except pressure ulcer
ICD-10-CM Codes	<p><b>L97.209</b> Non-pressure chronic ulcer of unspecified ankle with unspecified severity</p> <p>** Code first any associated underlying condition: Atherosclerosis of the lower extremities (<b>I70.23-</b>, <b>I70.24-</b>, <b>I70.33-</b>, <b>I70.34-</b>, <b>I70.43-</b>, <b>I70.44-</b>, <b>I70.53-</b>, <b>I70.54-</b>, <b>I70.63-</b>, <b>I70.64-</b>, <b>I70.73-</b>, <b>I70.74-</b>) Chronic venous hypertension (<b>I87.31-</b>, <b>I87.33-</b>) Diabetic ulcers (<b>E08.621</b>, <b>E08.622</b>, <b>E09.621</b>, <b>E09.622</b>, <b>E10.621</b>, <b>E10.622</b>, <b>E11.621</b>, <b>E11.622</b>, <b>E13.621</b>, <b>E13.622</b>) Postphlebotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>) Postthrombotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>) Varicose ulcer (<b>I83.0-</b>, <b>I83.2-</b>) Code first any associated gangrene (<b>I96</b>)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>L97.201</b> Non-pressure chronic ulcer of unspecified calf limited to breakdown of skin <b>L97.202</b> Non-pressure chronic ulcer of unspecified calf with fat layer exposed <b>L97.203</b> Non-pressure chronic ulcer of unspecified calf with necrosis of muscle <b>L97.204</b> Non-pressure chronic ulcer of unspecified calf with necrosis of bone <b>L97.211</b> Non-pressure chronic ulcer of right calf limited to breakdown of skin <b>L97.212</b> Non-pressure chronic ulcer of right calf with fat layer exposed <b>L97.213</b> Non-pressure chronic ulcer of right calf with necrosis of muscle <b>L97.214</b> Non-pressure chronic ulcer of right calf with necrosis of bone <b>L97.219</b> Non-pressure chronic ulcer of right calf with unspecified severity <b>L97.221</b> Non-pressure chronic ulcer of left calf limited to breakdown of skin <b>L97.222</b> Non-pressure chronic ulcer of left calf with fat layer exposed <b>L97.223</b> Non-pressure chronic ulcer of left calf with necrosis of muscle <b>L97.224</b> Non-pressure chronic ulcer of left calf with necrosis of bone <b>L97.229</b> Non-pressure chronic ulcer of left calf with unspecified severity</p>
<b>V67.00</b>	Follow-up examination, following surgery, unspecified
ICD-10-CM Codes	<p><b>Z09</b> Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm</p> <p>** Use additional code to identify any applicable history of disease code (<b>Z86.-</b>, <b>Z87.-</b>)</p>
<b>414.01</b>	Coronary atherosclerosis of native coronary artery
ICD-10-CM Codes	<p><b>I25.10</b> Atherosclerotic heart disease of native coronary artery without angina pectoris</p> <p>** Use additional code, if applicable, to identify coronary atherosclerosis due to lipid rich plaque (<b>I25.83</b>)</p>
<b>729.81</b>	Swelling of limb
	<b>M79.89</b> Other specified soft tissue disorders
<b>424.1</b>	Aortic valve disorders
ICD-10-CM Codes	<p><b>I35.0</b> Nonrheumatic aortic (valve) stenosis <b>I35.1</b> Nonrheumatic aortic (valve) insufficiency <b>I35.2</b> Nonrheumatic aortic (valve) stenosis with insufficiency <b>I35.8</b> Other nonrheumatic aortic valve disorders <b>I35.9</b> Nonrheumatic aortic valve disorder, unspecified</p>
<b>454.8</b>	Varicose veins of lower extremities with other complications
ICD-10-CM Codes	<p><b>I83.811</b> Varicose veins of right lower extremities with pain <b>I83.812</b> Varicose veins of left lower extremities with pain <b>I83.813</b> Varicose veins of bilateral lower extremities with pain <b>I83.819</b> Varicose veins of unspecified lower extremities with pain <b>I83.891</b> Varicose veins of right lower extremities with other complications <b>I83.892</b> Varicose veins of left lower extremities with other complications <b>I83.893</b> Varicose veins of bilateral lower extremities with other complications <b>I83.899</b> Varicose veins of unspecified lower extremities with other complications</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>996.73</b>	Other complications due to renal dialysis device, implant, and graft
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T82</b> :	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>** These codes require a 7th character extender.</b></p> <p><b>T82.818-</b> Embolism of vascular prosthetic devices, implants and grafts  <b>T82.828-</b> Fibrosis of vascular prosthetic devices, implants and graft  <b>T82.838-</b> Hemorrhage of vascular prosthetic devices, implants and grafts  <b>T82.848-</b> Pain from vascular prosthetic devices, implants and grafts  <b>T82.7XX-</b> Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts  <b>** Use additional code to identify infection</b>  <b>T82.41X-</b> Breakdown (mechanical) of vascular dialysis catheter  <b>T82.42X-</b> Displacement of vascular dialysis catheter  <b>T82.43X-</b> Leakage of vascular dialysis catheter  <b>T82.49X-</b> Other complication of vascular dialysis catheter  <b>T82.858-</b> Stenosis of vascular prosthetic devices, implants and grafts  <b>T82.868-</b> Thrombosis of vascular prosthetic devices, implants and grafts  <b>T82.898-</b> Other specified complication of vascular prosthetic devices, implants and grafts</p>
<b>707.14</b>	Ulcer of heel and midfoot, except pressure ulcer
ICD-10-CM Codes	<p><b>L97.409</b> Non-pressure chronic ulcer of unspecified heel and midfoot with unspecified severity  <b>** Code first any associated underlying condition:</b>  Atherosclerosis of the lower extremities (<b>I70.23-</b>, <b>I70.24-</b>, <b>I70.33-</b>, <b>I70.34-</b>, <b>I70.43-</b>, <b>I70.44-</b>, <b>I70.53-</b>, <b>I70.54-</b>, <b>I70.63-</b>, <b>I70.64-</b>, <b>I70.73-</b>, <b>I70.74-</b>)  Chronic venous hypertension (<b>I87.31-</b>, <b>I87.33-</b>)  Diabetic ulcers (<b>E08.621</b>, <b>E08.622</b>, <b>E09.621</b>, <b>E09.622</b>, <b>E10.621</b>, <b>E10.622</b>, <b>E11.621</b>, <b>E11.622</b>, <b>E13.621</b>, <b>E13.622</b>)  Postphlebotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)  Postthrombotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)  Varicose ulcer (<b>I83.0-</b>, <b>I83.2-</b>)  Code first any associated gangrene (<b>I96</b>)  <b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>L97.401</b> Non-pressure chronic ulcer of unspecified heel and midfoot limited to breakdown of skin  <b>L97.402</b> Non-pressure chronic ulcer of unspecified heel and midfoot with fat layer exposed  <b>L97.403</b> Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle  <b>L97.404</b> Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of bone  <b>L97.411</b> Non-pressure chronic ulcer of right heel and midfoot limited to breakdown of skin  <b>L97.412</b> Non-pressure chronic ulcer of right heel and midfoot with fat layer exposed  <b>L97.413</b> Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle  <b>L97.414</b> Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone  <b>L97.419</b> Non-pressure chronic ulcer of right heel and midfoot with unspecified severity  <b>L97.421</b> Non-pressure chronic ulcer of left heel and midfoot limited to breakdown of skin</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p><b>L97.422</b> Non-pressure chronic ulcer of left heel and midfoot with fat layer exposed  <b>L97.423</b> Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle  <b>L97.424</b> Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone  <b>L97.429</b> Non-pressure chronic ulcer of left heel and midfoot with unspecified severity</p>
<b>593.9</b>	Unspecified disorder of kidney and ureter
	<b>N28.9</b> Disorder of kidney and ureter, unspecified
<b>707.15</b>	Ulcer of other part of foot, except pressure ulcer
ICD-10-CM Codes	<p><b>L97.509</b> Non-pressure chronic ulcer of other part of unspecified foot with unspecified severity  <b>** Code first any associated underlying condition:</b>  Atherosclerosis of the lower extremities (<b>I70.23-</b>, <b>I70.24-</b>, <b>I70.33-</b>, <b>I70.34-</b>, <b>I70.43-</b>, <b>I70.44-</b>, <b>I70.53-</b>, <b>I70.54-</b>, <b>I70.63-</b>, <b>I70.64-</b>, <b>I70.73-</b>, <b>I70.74-</b>)  Chronic venous hypertension (<b>I87.31-</b>, <b>I87.33-</b>)  Diabetic ulcers (<b>E08.621</b>, <b>E08.622</b>, <b>E09.621</b>, <b>E09.622</b>, <b>E10.621</b>, <b>E10.622</b>, <b>E11.621</b>, <b>E11.622</b>, <b>E13.621</b>, <b>E13.622</b>)  Postphlebotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)  Postthrombotic syndrome (<b>I87.01-</b>, <b>I87.03-</b>)  Varicose ulcer (<b>I83.0-</b>, <b>I83.2-</b>)  Code first any associated gangrene  <b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>L97.501</b> Non-pressure chronic ulcer of other part of unspecified foot limited to breakdown of skin  <b>L97.502</b> Non-pressure chronic ulcer of other part of unspecified foot with fat layer exposed  <b>L97.503</b> Non-pressure chronic ulcer of other part of unspecified foot with necrosis of muscle  <b>L97.504</b> Non-pressure chronic ulcer of other part of unspecified foot with necrosis of bone  <b>L97.511</b> Non-pressure chronic ulcer of other part of right foot limited to breakdown of skin  <b>L97.512</b> Non-pressure chronic ulcer of other part of right foot with fat layer exposed  <b>L97.513</b> Non-pressure chronic ulcer of other part of right foot with necrosis of muscle  <b>L97.514</b> Non-pressure chronic ulcer of other part of right foot with necrosis of bone  <b>L97.519</b> Non-pressure chronic ulcer of other part of right foot with unspecified severity  <b>L97.521</b> Non-pressure chronic ulcer of other part of left foot limited to breakdown of skin  <b>L97.522</b> Non-pressure chronic ulcer of other part of left foot with fat layer exposed  <b>L97.523</b> Non-pressure chronic ulcer of other part of left foot with necrosis of muscle  <b>L97.524</b> Non-pressure chronic ulcer of other part of left foot with necrosis of bone  <b>L97.529</b> Non-pressure chronic ulcer of other part of left foot with unspecified severity</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>162.9</b>	Malignant neoplasm of bronchus and lung, unspecified
ICD-10-CM Codes	<p><b>C34.90</b> Malignant neoplasm of unspecified part of unspecified bronchus or lung</p> <p>** There are more specific code choice selections available. These include:</p> <p><b>C34.00</b> Malignant neoplasm of unspecified main bronchus</p> <p><b>C34.01</b> Malignant neoplasm of right main bronchus</p> <p><b>C34.02</b> Malignant neoplasm of left main bronchus</p> <p><b>C34.10</b> Malignant neoplasm of upper lobe, unspecified bronchus or lung</p> <p><b>C34.11</b> Malignant neoplasm of upper lobe, right bronchus or lung</p> <p><b>C34.12</b> Malignant neoplasm of upper lobe, left bronchus or lung</p> <p><b>C34.2</b> Malignant neoplasm of middle lobe, bronchus or lung</p> <p><b>C34.30</b> Malignant neoplasm of lower lobe, unspecified bronchus or lung</p> <p><b>C34.31</b> Malignant neoplasm of lower lobe, right bronchus or lung</p> <p><b>C34.32</b> Malignant neoplasm of lower lobe, left bronchus or lung</p> <p><b>C34.80</b> Malignant neoplasm of overlapping sites of unspecified bronchus or lung</p> <p><b>C34.81</b> Malignant neoplasm of overlapping sites of right bronchus or lung</p> <p><b>C34.82</b> Malignant neoplasm of overlapping sites of left bronchus or lung</p> <p><b>C34.91</b> Malignant neoplasm of unspecified part of right bronchus or lung</p> <p><b>C34.92</b> Malignant neoplasm of unspecified part of left bronchus or lung</p>
<b>785.9</b>	Other symptoms involving cardiovascular system
	<b>R09.89</b> Other specified symptoms and signs involving the circulatory and respiratory systems
<b>585.9</b>	Chronic kidney disease, unspecified
ICD-10-CM Codes	<p><b>N18.9</b> Chronic kidney disease, unspecified</p> <p>** Code first any associated:</p> <p>Diabetic chronic kidney disease (<b>E08.22, E09.22, E10.22, E11.22, E13.22</b>)</p> <p>Hypertensive chronic kidney disease (<b>I12-, I13-</b>)</p> <p>Use additional code to identify kidney transplant status, if applicable (<b>Z94.0</b>)</p> <p>** There are more specific code choice selections available. These include:</p> <p><b>N18.1</b> Chronic kidney disease, stage 1</p> <p><b>N18.2</b> Chronic kidney disease, stage 2 (mild)</p> <p><b>N18.3</b> Chronic kidney disease, stage 3 (moderate)</p> <p><b>N18.4</b> Chronic kidney disease, stage 4 (severe)</p> <p><b>N18.5</b> Chronic kidney disease, stage 5</p> <p><b>N18.6</b> End stage renal disease</p> <p>** Use additional code to identify dialysis status (<b>Z99.2</b>)</p>
<b>433.11</b>	Occlusion and stenosis of carotid artery with cerebral infarction
ICD-10-CM Codes	<p><b>I63.231</b> Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries</p> <p><b>I63.232</b> Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries</p> <p><b>I62.239</b> Cerebral infarction due to unspecified occlusion or stenosis of unspecified arteries</p> <p><b>I63.131</b> Cerebral infarction due to embolism of right carotid artery</p> <p><b>I63.132</b> Cerebral infarction due to embolism of left carotid artery</p> <p><b>I63.139</b> Cerebral infarction due to embolism of unspecified carotid artery</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>441.2</b>	Thoracic aneurysm without mention of rupture
	<b>I71.2</b> Thoracic aortic aneurysm, without rupture
<b>443.89</b>	Other specified peripheral vascular diseases
ICD-10-CM Codes	<p><b>I73.00</b> Raynaud's syndrome without gangrene</p> <p><b>I73.01</b> Raynaud's syndrome with gangrene</p> <p><b>I73.1</b> Thromboangiitis obliterans (Buerger's disease)</p> <p><b>I73.81</b> Erythromelalgia</p> <p><b>I73.89</b> Other specified peripheral vascular diseases</p>
<b>996.74</b>	Other complications due to vascular device, implant, and graft
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T82</b> :	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p>** These codes require a 7<sup>th</sup> character extender.</p> <p><b>T82.818-</b> Embolism of vascular prosthetic devices, implants and grafts</p> <p><b>T82.828-</b> Fibrosis of vascular prosthetic devices, implants and grafts</p> <p><b>T82.838-</b> Hemorrhage of vascular prosthetic devices, implants and grafts</p> <p><b>T82.848-</b> Pain from vascular prosthetic devices, implants and grafts</p> <p><b>T82.7XX-</b> Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts</p> <p>** Use additional code to identify infection</p> <p><b>T82.858-</b> Stenosis of vascular prosthetic devices, implants and grafts</p> <p><b>T82.868-</b> Thrombosis of vascular prosthetic devices, implants and grafts</p> <p><b>T82.898-</b> Other specified complication of vascular prosthetic devices, implants and grafts</p>
<b>585.5</b>	Chronic kidney disease, stage V
ICD-10-CM Codes	<p><b>N18.5</b> Chronic kidney disease, stage 5</p> <p>** Code first any associated:</p> <p>Diabetic chronic kidney disease (<b>E08.22, E09.22, E10.22, E11.22, E13.22</b>)</p> <p>Hypertensive chronic kidney disease (<b>I12-, I13-</b>)</p> <p>Use additional code to identify kidney transplant status, if applicable (<b>Z94.0</b>)</p>
<b>440.0</b>	Atherosclerosis of aorta
ICD-10-CM Codes	<p><b>I70.0</b> Atherosclerosis of aorta</p> <p>** Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (<b>Z77.22</b>)</p> <p>History of tobacco use (<b>Z87.891</b>)</p> <p>Occupational exposure to environmental tobacco smoke (<b>Z57.31</b>)</p> <p>Tobacco dependence (<b>F17-</b>)</p> <p>Tobacco use (<b>Z72.0</b>)</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>442.3</b>	Other aneurysm of artery of lower extremity <b>I72.4</b> Aneurysm of artery of lower extremity
<b>998.83</b>	Non-healing surgical wound
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T81</b> :	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<b>** This code requires a 7th character extender.</b> <b>T81.89X-</b> Other complications of procedures, not elsewhere classified <b>** Use additional code to specify complication, such as: Postprocedural delirium (F05)</b>
<b>557.1</b>	Chronic vascular insufficiency of intestine
ICD-10-CM Codes	<b>K55.1</b> Chronic vascular disorders of intestine <b>K55.8</b> Other vascular disorders of intestine <b>K55.9</b> Vascular disorder of intestine, unspecified
<b>424.0</b>	Mitral valve disorders
ICD-10-CM Codes	<b>I05.0</b> Rheumatic mitral stenosis <b>I05.1</b> Rheumatic mitral insufficiency <b>I05.2</b> Rheumatic mitral stenosis with insufficiency <b>I05.8</b> Other rheumatic mitral valve diseases <b>I05.9</b> Rheumatic mitral valve disease, unspecified
<b>454.1</b>	Varicose veins of lower extremities with inflammation
ICD-10-CM Codes	<b>I83.10</b> Varicose veins of unspecified lower extremity with inflammation <b>I83.11</b> Varicose veins of right lower extremity with inflammation <b>I83.12</b> Varicose veins of left lower extremity with inflammation
<b>250.70</b>	Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled
ICD-10-CM Codes	<b>E11.59</b> Type 2 diabetes mellitus with other circulatory complications <b>** Use additional code to identify any insulin use (Z79.4)</b>
<b>996.1</b>	Mechanical complication of other vascular device, implant, and graft
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T82</b> :	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<b>** These codes require a 7th character extender.</b> <b>T82.390-</b> Other mechanical complication of aortic (bifurcation) graft (replacement) <b>T82.391-</b> Other mechanical complication of carotid arterial graft (bypass) <b>T82.392-</b> Other mechanical complication of femoral arterial graft (bypass) <b>T82.398-</b> Other mechanical complication of other vascular grafts <b>T82.399-</b> Other mechanical complication of unspecified vascular grafts

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<b>T82.49X-</b> Other complication of vascular dialysis catheter <b>T82.590-</b> Other mechanical complication of surgically created arteriovenous fistula <b>T82.591-</b> Other mechanical complication of surgically created arteriovenous shunt <b>T82.593-</b> Other mechanical complication of balloon (counterpulsation) device <b>T82.595-</b> Other mechanical complication of umbrella device <b>T82.598-</b> Other mechanical complication of other cardiac and vascular devices and implants
<b>V67.09</b>	Follow-up examination, following other surgery
ICD-10-CM Codes	<b>Z09</b> Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm <b>** Use additional code to identify any applicable history of disease code (Z86.-, Z87.-)</b>
<b>405.91</b>	Renovascular hypertension, unspecified <b>I15.0</b> Renovascular hypertension <b>** Code also underlying condition</b>
<b>998.89</b>	Other specified complications of procedures
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T81</b> :	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<b>** This code requires a 7th character extender.</b> <b>T81.89X-</b> Other complications of procedures, not elsewhere classified <b>** Use additional code to specify complication, such as: Postprocedural delirium (F05)</b>
<b>442.2</b>	Other aneurysm of iliac artery <b>I72.3</b> Aneurysm of iliac artery
<b>585.4</b>	Chronic kidney disease, Stage IV (severe)
ICD-10-CM Codes	<b>N18.4</b> Chronic kidney disease, stage 4 (severe) <b>** Code first any associated: Diabetic chronic kidney disease (E08.22, E09.22, E10.22, E11.22, E13.22)</b> Hypertensive chronic kidney disease ( <b>I12-</b> , <b>I13-</b> ) Use additional code to identify kidney transplant status, if applicable ( <b>Z94.0</b> )
<b>401.1</b>	Essential hypertension, benign <b>I10</b> Essential (primary) hypertension
<b>435.9</b>	Unspecified transient cerebral ischemia <b>G45.9</b> Transient cerebral ischemic attack, unspecified
<b>440.1</b>	Atherosclerosis of renal artery
ICD-10-CM Codes	<b>I70.1</b> Atherosclerosis of renal artery <b>** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22)</b> History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17-</b> ) Tobacco use ( <b>Z72.0</b> )




ICD-9-CM Code	ICD-10-CM Code(s)
451.19	Phlebitis and thrombophlebitis of deep vessels of lower extremities, other
ICD-10-CM Codes	<p><b>I80.209</b> Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity</p> <p>** Code first phlebitis and thrombophlebitis complicating abortion, ectopic or molar pregnancy (<b>O00-O07, O08.7</b>) Pregnancy, childbirth and the puerperium (<b>O22-, O87-</b>)</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>I80.201</b> Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity</p> <p><b>I80.202</b> Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity</p> <p><b>I80.203</b> Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral</p> <p><b>I80.211</b> Phlebitis and thrombophlebitis of right iliac vein</p> <p><b>I80.212</b> Phlebitis and thrombophlebitis of left iliac vein</p> <p><b>I80.213</b> Phlebitis and thrombophlebitis of iliac vein, bilateral</p> <p><b>I80.219</b> Phlebitis and thrombophlebitis of unspecified iliac vein</p> <p><b>I80.221</b> Phlebitis and thrombophlebitis of right popliteal vein</p> <p><b>I80.222</b> Phlebitis and thrombophlebitis of left popliteal vein</p> <p><b>I80.223</b> Phlebitis and thrombophlebitis of popliteal vein, bilateral</p> <p><b>I80.229</b> Phlebitis and thrombophlebitis of unspecified popliteal vein</p> <p><b>I80.231</b> Phlebitis and thrombophlebitis of right tibial vein</p> <p><b>I80.232</b> Phlebitis and thrombophlebitis of left tibial vein</p> <p><b>I80.233</b> Phlebitis and thrombophlebitis of tibial vein, bilateral</p> <p><b>I80.239</b> Phlebitis and thrombophlebitis of unspecified tibial vein</p> <p><b>I80.291</b> Phlebitis and thrombophlebitis of other deep vessels of right lower extremity</p> <p><b>I80.292</b> Phlebitis and thrombophlebitis of other deep vessels of left lower extremity</p> <p><b>I80.293</b> Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral</p> <p><b>I80.299</b> Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity</p>

ICD-9-CM Code	ICD-10-CM Code(s)
457.1	Other lymphedema <b>I89.0</b> Lymphedema, not elsewhere classified
681.10	Cellulitis and abscess toe, unspecified
ICD-10-CM Codes	<p><b>L03.039</b> Cellulitis of unspecified toe</p> <p><b>L03.049</b> Acute lymphangitis of unspecified toe</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>L03.031</b> Cellulitis of right toe</p> <p><b>L03.032</b> Cellulitis of left toe</p> <p><b>L03.041</b> Acute lymphangitis of right toe</p> <p><b>L03.042</b> Acute lymphangitis of left toe</p>

*Fast Forward*

*to ICD-10*



ICD-10

*Fast Forward*

*to ICD-10*

