



ICD-9-CM Code	ICD-10-CM Code(s)	
<b>786.50</b>	Chest pain, unspecified	
ICD-10-CM Codes	<b>R07.9</b> Chest pain, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>R07.1</b> Chest pain on breathing <b>R07.2</b> Precordial pain <b>R07.81</b> Pleurodynia <b>R07.89</b> Other chest pain	
<b>789.09</b>	Abdominal pain, other specified site	
ICD-10-CM Codes	<b>R10.10</b> Upper abdominal pain, unspecified <b>R10.2</b> Pelvic and perineal pain <b>R10.30</b> Lower abdominal pain, unspecified	
<b>959.01</b>	Head injury, unspecified	
The appropriate 7th character is to be added to each code from category <b>S09</b>		
<b>A</b>	initial encounter	
<b>D</b>	subsequent encounter	
<b>S</b>	sequela	
ICD-10-CM Codes	** <b>These codes require a 7th character extender.</b> <b>S09.90X-</b> Unspecified injury of head ** There are more specific code choice selections available in ICD-10-CM. These include: <b>S09.8XX-</b> Other specified injuries of head <b>S06.9X0-</b> Unspecified intracranial injury without loss of consciousness <b>S06.9X1-</b> Unspecified intracranial injury with loss of consciousness of 30 minutes or less <b>S06.9X2-</b> Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes <b>S06.9X3-</b> Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes <b>S06.9X4-</b> Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours <b>S06.9X5-</b> Unspecified intracranial injury with loss of consciousness of greater than 24 hours with return to pre-existing conscious level <b>S06.9X6-</b> Unspecified intracranial injury with loss of consciousness of greater than 24 hours without return to pre-existing conscious level with patient surviving <b>S06.9X7-</b> Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness <b>S06.9X8-</b> Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness <b>S06.9X9-</b> Unspecified intracranial injury with loss of consciousness of unspecified duration	
<b>784.0</b>	Headache	<b>R51</b> Headache
<b>780.2</b>	Syncope and collapse	<b>R55</b> Syncope and collapse
<b>883</b>	Open wound of finger without mention of complication	
The appropriate 7th character is to be added to each code from category, <b>S61</b>		
<b>A</b>	initial encounter	
<b>D</b>	subsequent encounter	
<b>S</b>	sequela	

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<b>S61.209-</b> Unspecified open wound of unspecified finger without damage to nail ** There are more specific code choice selections available in ICD-10-CM. These include: <b>S61.001-</b> Unspecified open wound of right thumb without damage to nail <b>S61.002-</b> Unspecified open wound of left thumb without damage to nail <b>S61.009-</b> Unspecified open wound of unspecified thumb without damage to nail <b>S61.011-</b> Laceration without foreign body of right thumb without damage to nail <b>S61.012-</b> Laceration without foreign body of left thumb without damage to nail <b>S61.019-</b> Laceration without foreign body of unspecified thumb without damage to nail <b>S61.021-</b> Laceration with foreign body of right thumb without damage to nail <b>S61.022-</b> Laceration with foreign body of left thumb without damage to nail <b>S61.029-</b> Laceration with foreign body of unspecified thumb without damage to nail <b>S61.031-</b> Puncture wound without foreign body of right thumb without damage to nail <b>S61.032-</b> Puncture wound without foreign body of left thumb without damage to nail <b>S61.039-</b> Puncture wound without foreign body of unspecified thumb without damage to nail <b>S61.041-</b> Puncture wound with foreign body of right thumb without damage to nail <b>S61.042-</b> Puncture wound with foreign body of left thumb without damage to nail <b>S61.049-</b> Puncture wound with foreign body of unspecified thumb without damage to nail <b>S61.051-</b> Open bite of right thumb without damage to nail <b>S61.052-</b> Open bite of left thumb without damage to nail <b>S61.059-</b> Open bite of unspecified thumb without damage to nail <b>S61.101-</b> Unspecified open wound of right thumb with damage to nail <b>S61.102-</b> Unspecified open wound of left thumb with damage to nail <b>S61.109-</b> Unspecified open wound of unspecified thumb with damage to nail <b>S61.111-</b> Laceration without foreign body of right thumb with damage to nail <b>S61.112-</b> Laceration without foreign body of left thumb with damage to nail <b>S61.119-</b> Laceration without foreign body of unspecified thumb with damage to nail <b>S61.121-</b> Laceration with foreign body of right thumb with damage to nail <b>S61.122-</b> Laceration with foreign body of left thumb with damage to nail <b>S61.129-</b> Laceration with foreign body of unspecified thumb with damage to nail <b>S61.131-</b> Puncture wound without foreign body of right thumb with damage to nail <b>S61.132-</b> Puncture wound without foreign body of left thumb with damage to nail ** <b>These codes require a 7th character extender.</b> <b>S61.139-</b> Puncture wound without foreign body of unspecified thumb with damage to nail <b>S61.141-</b> Puncture wound with foreign body of right thumb with damage to nail



ICD-9-CM Code	ICD-10-CM Code(s)
883 (cont.)	Open wound of finger without mention of complication
ICD-10-CM Codes (cont.)	<p><b>S61.142-</b> Puncture wound with foreign body of left thumb with damage to nail</p> <p><b>S61.149-</b> Puncture wound with foreign body of unspecified thumb with damage to nail</p> <p><b>S61.151-</b> Open bite of right thumb with damage to nail</p> <p><b>S61.152-</b> Open bite of left thumb with damage to nail</p> <p><b>S61.159-</b> Open bite of unspecified thumb with damage to nail</p> <p><b>S61.200-</b> Unspecified open wound of right index finger without damage to nail</p> <p><b>S61.201-</b> Unspecified open wound of left index finger without damage to nail</p> <p><b>S61.202-</b> Unspecified open wound of right middle finger without damage to nail</p> <p><b>S61.203-</b> Unspecified open wound of left middle finger without damage to nail</p> <p><b>S61.204-</b> Unspecified open wound of right ring finger without damage to nail</p> <p><b>S61.205-</b> Unspecified open wound of left ring finger without damage to nail</p> <p><b>S61.206-</b> Unspecified open wound of right little finger without damage to nail</p> <p><b>S61.207-</b> Unspecified open wound of left little finger without damage to nail</p> <p><b>S61.208-</b> Unspecified open wound of other finger without damage to nail</p> <p><b>S61.209-</b> Unspecified open wound of unspecified finger without damage to nail</p> <p><b>S61.210-</b> Laceration without foreign body of right index finger without damage to nail</p> <p><b>S61.211-</b> Laceration without foreign body of left index finger without damage to nail</p> <p><b>S61.212-</b> Laceration without foreign body of right middle finger without damage to nail</p> <p><b>S61.213-</b> Laceration without foreign body of left middle finger without damage to nail</p> <p><b>S61.214-</b> Laceration without foreign body of right ring finger without damage to nail</p> <p><b>S61.215-</b> Laceration without foreign body of left ring finger without damage to nail</p> <p><b>S61.216-</b> Laceration without foreign body of right little finger without damage to nail</p> <p><b>S61.217-</b> Laceration without foreign body of left little finger without damage to nail</p> <p><b>S61.218-</b> Laceration without foreign body of other finger without damage to nail</p> <p><b>S61.219-</b> Laceration without foreign body of unspecified finger without damage to nail</p> <p><b>S61.220-</b> Laceration with foreign body of right index finger without damage to nail</p> <p><b>S61.221-</b> Laceration with foreign body of left index finger without damage to nail</p> <p><b>S61.222-</b> Laceration with foreign body of right middle finger without damage to nail</p> <p><b>S61.223-</b> Laceration with foreign body of left middle finger without damage to nail</p> <p><b>S61.224-</b> Laceration with foreign body of right ring finger without damage to nail</p> <p><b>S61.225-</b> Laceration with foreign body of left ring finger without damage to nail</p> <p><b>S61.226-</b> Laceration with foreign body of right little finger without damage to nail</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p><b>S61.227-</b> Laceration with foreign body of left little finger without damage to nail</p> <p><b>S61.228-</b> Laceration with foreign body of other finger without damage to nail</p> <p><b>S61.229-</b> Laceration with foreign body of unspecified finger without damage to nail</p> <p><b>S61.230-</b> Puncture wound without foreign body of right index finger without damage to nail</p> <p><b>S61.231-</b> Puncture wound without foreign body of left index finger without damage to nail</p> <p><b>S61.232-</b> Puncture wound without foreign body of right middle finger without damage to nail</p> <p><b>S61.233-</b> Puncture wound without foreign body of left middle finger without damage to nail</p> <p><b>S61.234-</b> Puncture wound without foreign body of right ring finger without damage to nail</p> <p><b>S61.235-</b> Puncture wound without foreign body of left ring finger without damage to nail</p> <p><b>S61.236-</b> Puncture wound without foreign body of right little finger without damage to nail</p> <p><b>S61.237-</b> Puncture wound without foreign body of left little finger without damage to nail</p> <p><b>S61.238-</b> Puncture wound without foreign body of other finger without damage to nail</p> <p><b>S61.239-</b> Puncture wound without foreign body of unspecified finger without damage to nail</p> <p><b>S61.240-</b> Puncture wound with foreign body of right index finger without damage to nail</p> <p><b>S61.241-</b> Puncture wound with foreign body of left index finger without damage to nail</p> <p><b>S61.242-</b> Puncture wound with foreign body of right middle finger without damage to nail</p> <p><b>S61.243-</b> Puncture wound with foreign body of left middle finger without damage to nail</p> <p><b>S61.244-</b> Puncture wound with foreign body of right ring finger without damage to nail</p> <p><b>S61.245-</b> Puncture wound with foreign body of left ring finger without damage to nail</p> <p><b>S61.246-</b> Puncture wound with foreign body of right little finger without damage to nail</p> <p><b>S61.247-</b> Puncture wound with foreign body of left little finger without damage to nail</p> <p><b>S61.248-</b> Puncture wound with foreign body of other finger without damage to nail</p> <p><b>S61.249-</b> Puncture wound with foreign body of unspecified finger without damage to nail</p> <p><b>S61.250-</b> Open bite of right index finger without damage to nail</p> <p><b>S61.251-</b> Open bite of left index finger without damage to nail</p> <p><b>S61.252-</b> Open bite of right middle finger without damage to nail</p> <p><b>S61.253-</b> Open bite of left middle finger without damage to nail</p> <p><b>S61.254-</b> Open bite of right ring finger without damage to nail</p> <p><b>S61.255-</b> Open bite of left ring finger without damage to nail</p> <p><b>S61.256-</b> Open bite of right little finger without damage to nail</p> <p><b>S61.257-</b> Open bite of left little finger without damage to nail</p> <p><b>S61.258-</b> Open bite of other finger without damage to nail</p> <p><b>S61.259-</b> Open bite of unspecified finger without damage to nail</p> <p><b>S61.300-</b> Unspecified open wound of right index finger with damage to nail</p> <p><b>S61.301-</b> Unspecified open wound of left index finger with damage to nail</p> <p><b>S61.302-</b> Unspecified open wound of right middle finger with damage to nail</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>883</b> (cont.)	Open wound of finger without mention of complication... (cont.)
ICD-10-CM Codes (cont.)	<p><b>S61.303-</b> Unspecified open wound of left middle finger with damage to nail</p> <p><b>S61.304-</b> Unspecified open wound of right ring finger with damage to nail</p> <p><b>S61.305-</b> Unspecified open wound of left ring finger with damage to nail</p> <p><b>S61.306-</b> Unspecified open wound of right little finger with damage to nail</p> <p><b>S61.307-</b> Unspecified open wound of left little finger with damage to nail</p> <p><b>S61.308-</b> Unspecified open wound of other finger with damage to nail</p> <p><b>S61.309-</b> Unspecified open wound of unspecified finger with damage to nail</p> <p><b>S61.310-</b> Laceration without foreign body of right index finger with damage to nail</p> <p><b>S61.311-</b> Laceration without foreign body of left index finger with damage to nail</p> <p><b>S61.312-</b> Laceration without foreign body of right middle finger with damage to nail</p> <p><b>S61.313-</b> Laceration without foreign body of left middle finger with damage to nail</p> <p><b>S61.314-</b> Laceration without foreign body of right ring finger with damage to nail</p> <p><b>S61.315-</b> Laceration without foreign body of left ring finger with damage to nail</p> <p><b>S61.316-</b> Laceration without foreign body of right little finger with damage to nail</p> <p><b>S61.317-</b> Laceration without foreign body of left little finger with damage to nail</p> <p><b>S61.318-</b> Laceration without foreign body of other finger with damage to nail</p> <p><b>S61.319-</b> Laceration without foreign body of unspecified finger with damage to nail</p> <p><b>S61.320-</b> Laceration with foreign body of right index finger with damage to nail</p> <p><b>S61.321-</b> Laceration with foreign body of left index finger with damage to nail</p> <p><b>S61.322-</b> Laceration with foreign body of right middle finger with damage to nail</p> <p><b>S61.323-</b> Laceration with foreign body of left middle finger with damage to nail</p> <p><b>S61.324-</b> Laceration with foreign body of right ring finger with damage to nail</p> <p><b>S61.325-</b> Laceration with foreign body of left ring finger with damage to nail</p> <p><b>S61.326-</b> Laceration with foreign body of right little finger with damage to nail</p> <p><b>S61.327-</b> Laceration with foreign body of left little finger with damage to nail</p> <p><b>S61.328-</b> Laceration with foreign body of other finger with damage to nail</p> <p><b>S61.329-</b> Laceration with foreign body of unspecified finger with damage to nail</p> <p><b>S61.330-</b> Puncture wound without foreign body of right index finger with damage to nail</p> <p><b>S61.331-</b> Puncture wound without foreign body of left index finger with damage to nail</p> <p><b>S61.332-</b> Puncture wound without foreign body of right middle finger with damage to nail</p> <p><b>S61.333-</b> Puncture wound without foreign body of left middle finger with damage to nail</p> <p><b>S61.334-</b> Puncture wound without foreign body of right ring finger with damage to nail</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p><b>S61.335-</b> Puncture wound without foreign body of left ring finger with damage to nail</p> <p><b>S61.336-</b> Puncture wound without foreign body of right little finger with damage to nail</p> <p><b>S61.337-</b> Puncture wound without foreign body of left little finger with damage to nail</p> <p><b>S61.338-</b> Puncture wound without foreign body of other finger with damage to nail</p> <p><b>S61.339-</b> Puncture wound without foreign body of unspecified finger with damage to nail</p> <p><b>S61.340-</b> Puncture wound with foreign body of right index finger with damage to nail</p> <p><b>S61.341-</b> Puncture wound with foreign body of left index finger with damage to nail</p> <p><b>S61.342-</b> Puncture wound with foreign body of right middle finger with damage to nail</p> <p><b>S61.343-</b> Puncture wound with foreign body of left middle finger with damage to nail</p> <p><b>S61.344-</b> Puncture wound with foreign body of right ring finger with damage to nail</p> <p><b>S61.345-</b> Puncture wound with foreign body of left ring finger with damage to nail</p> <p><b>S61.346-</b> Puncture wound with foreign body of right little finger with damage to nail</p> <p><b>S61.347-</b> Puncture wound with foreign body of left little finger with damage to nail</p> <p><b>S61.348-</b> Puncture wound with foreign body of other finger with damage to nail</p> <p><b>S61.349-</b> Puncture wound with foreign body of unspecified finger with damage to nail</p> <p><b>S61.350-</b> Open bite of right index finger with damage to nail</p> <p><b>S61.351-</b> Open bite of left index finger with damage to nail</p> <p><b>S61.352-</b> Open bite of right middle finger with damage to nail</p> <p><b>S61.353-</b> Open bite of left middle finger with damage to nail</p> <p><b>S61.354-</b> Open bite of right ring finger with damage to nail</p> <p><b>S61.355-</b> Open bite of left ring finger with damage to nail</p> <p><b>S61.356-</b> Open bite of right little finger with damage to nail</p> <p><b>S61.357-</b> Open bite of left little finger with damage to nail</p> <p><b>S61.358-</b> Open bite of other finger with damage to nail</p> <p><b>S61.359-</b> Open bite of unspecified finger with damage to nail</p>
<b>845.00</b>	Sprains and strains of ankle, unspecified site
The appropriate 7th character is to be added to each code from category <b>S93</b> and <b>S96</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>** These codes require a 7th character extender.</b></p> <p><b>S93.409-</b> Sprain of unspecified ligament of unspecified ankle</p> <p><b>** There are more specific code choice selections available in ICD-10-CM. These include:</b></p> <p><b>S93.401-</b> Sprain of unspecified ligament of right ankle</p> <p><b>S93.402-</b> Sprain of unspecified ligament of left ankle</p> <p><b>S93.411-</b> Sprain of calcaneofibular ligament of right ankle</p> <p><b>S93.412-</b> Sprain of calcaneofibular ligament of left ankle</p> <p><b>S93.419-</b> Sprain of calcaneofibular ligament of unspecified ankle</p> <p><b>S93.421-</b> Sprain of deltoid ligament of right ankle</p> <p><b>S93.422-</b> Sprain of deltoid ligament of left ankle</p> <p><b>S93.429-</b> Sprain of deltoid ligament of unspecified ankle</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>845.00</b>	Continued
ICD-10-CM Codes (cont.)	<p><b>S93.431-</b> Sprain of tibiofibular ligament of right ankle  <b>S93.432-</b> Sprain of tibiofibular ligament of left ankle  <b>S93.439-</b> Sprain of tibiofibular ligament of unspecified ankle  <b>S93.491-</b> Sprain of other ligament of right ankle  <b>S93.492-</b> Sprain of other ligament of left ankle  <b>S93.499-</b> Sprain of other ligament of unspecified ankle  <b>S96.011-</b> Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot  <b>S96.012-</b> Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot  <b>S96.019-</b> Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot  <b>S96.111-</b> Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot  <b>S96.112-</b> Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot  <b>S96.119-</b> Strain of muscle and tendon of long extensor muscle of toe at ankle and foot, unspecified foot  <b>S96.211-</b> Strain of intrinsic muscle and tendon at ankle and foot level, right foot  <b>S96.212-</b> Strain of intrinsic muscle and tendon at ankle and foot level, left foot  <b>S96.219-</b> Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot  <b>S96.811-</b> Strain of other specified muscles and tendons at ankle and foot level, right foot  <b>S96.812-</b> Strain of other specified muscles and tendons at ankle and foot level, left foot  <b>S96.819-</b> Strain of other specified muscles and tendons at ankle and foot level, unspecified foot  <b>S96.911-</b> Strain of unspecified muscle and tendon at ankle and foot level, right foot  <b>S96.912-</b> Strain of unspecified muscle and tendon at ankle and foot level, left foot  <b>S96.919-</b> Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot</p>
<b>486</b>	Pneumonia, organism unspecified
ICD-10-CM Codes	<p><b>J18.9</b> Pneumonia, unspecified organism  <b>J18.8</b> Other pneumonia, unspecified organism            ** code first associated influenza, if applicable (<b>J09.X1, J10.0-, J11.0-</b>)</p>
<b>780.60</b>	Fever, unspecified
ICD-10-CM Codes	<p><b>R50.9</b> Fever, unspecified            ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>R50.2</b> Drug induced fever            **Use additional code for adverse effect, if applicable to identify drug (<b>T36-T50</b> with fifth or sixth character 5)  <b>R50.81</b> Fever presenting with conditions classified elsewhere  <b>R50.82</b> Postprocedural fever  <b>R50.83</b> Postvaccination fever  <b>R50.84</b> Febrile nonhemolytic transfusion reaction</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>724.5</b>	Backache, unspecified
ICD-10-CM Codes	<p><b>M54.9</b> Dorsalgia, unspecified            ** There are more specific code choice selections available for back pain. These include:  <b>M54.89</b> Other dorsalgia  <b>M54.6</b> Pain in thoracic spine  <b>M54.5</b> Low back pain  <b>M53.3</b> Sacrococcygeal disorders, not elsewhere classified</p>
<b>305.00</b>	Alcohol abuse, unspecified
ICD-10-CM Codes	<p><b>F10.10</b> Alcohol abuse, uncomplicated            ** Use additional code for blood alcohol level, if applicable (<b>Y90-</b>)            ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>F10.120</b> Alcohol abuse with intoxication, uncomplicated  <b>F10.121</b> Alcohol abuse with intoxication delirium  <b>F10.129</b> Alcohol abuse with intoxication, unspecified  <b>F10.14</b> Alcohol abuse with alcohol-induced mood disorder  <b>F10.150</b> Alcohol abuse with alcohol-induced psychotic disorder with delusions  <b>F10.151</b> Alcohol abuse with alcohol-induced psychotic disorder with hallucinations  <b>F10.519</b> Alcohol abuse with alcohol-induced psychotic disorder, unspecified  <b>F10.159</b> Alcohol abuse with alcohol-induced anxiety disorder  <b>F10.181</b> Alcohol abuse with alcohol-induced sexual dysfunction  <b>F10.182</b> Alcohol abuse with alcohol-induced sleep disorder  <b>F10.188</b> Alcohol abuse with other alcohol-induced disorder</p>
<b>729.5</b>	Pain in limb
ICD-10-CM Codes	<p><b>M79.609</b> Pain in unspecified limb            ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>M79.601</b> Pain in right arm  <b>M79.602</b> Pain in left arm  <b>M79.603</b> Pain in arm, unspecified  <b>M79.604</b> Pain in right leg  <b>M79.605</b> Pain in left leg  <b>M79.606</b> Pain in leg, unspecified  <b>M79.621</b> Pain in right upper arm  <b>M79.622</b> Pain in left upper arm  <b>M79.629</b> Pain in unspecified upper arm  <b>M79.631</b> Pain in right forearm  <b>M79.632</b> Pain in left forearm  <b>M79.639</b> Pain in unspecified forearm  <b>M79.641</b> Pain in right hand  <b>M79.642</b> Pain in left hand  <b>M79.643</b> Pain in unspecified hand  <b>M79.644</b> Pain in right finger(s)  <b>M79.645</b> Pain in left finger(s)  <b>M79.646</b> Pain in unspecified finger(s)  <b>M79.651</b> Pain in right thigh  <b>M79.652</b> Pain in left thigh  <b>M79.659</b> Pain in unspecified thigh  <b>M79.661</b> Pain in right lower leg</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>729.5</b>	Pain in limb —Continued
ICD-10-CM Codes (cont.)	<b>M79.662</b> Pain in left lower leg <b>M79.669</b> Pain in unspecified lower leg <b>M79.671</b> Pain in right foot <b>M79.672</b> Pain in left foot <b>M79.673</b> Pain in unspecified foot <b>M79.674</b> Pain in right toe(s) <b>M79.675</b> Pain in left toe(s) <b>M79.676</b> Pain in unspecified toes(s)
<b>787.03</b>	Vomiting alone
	<b>R11.11</b> Vomiting without nausea
<b>465.9</b>	Acute upper respiratory infections of unspecified site
ICD-10-CM Codes	<b>J06.9</b> Acute upper respiratory infection, unspecified <b>J39.8</b> Other specified diseases of upper respiratory tract
<b>724.2</b>	Lumbago
	<b>M54.5</b> Low back pain
<b>789.00</b>	Abdominal pain, unspecified site
ICD-10-CM Codes	<b>R10.9</b> Unspecified abdominal pain ** There are more specific code choice selections available in ICD-10-CM. These include: <b>R10.0</b> Acute abdomen <b>R10.10</b> Upper abdominal pain, unspecified <b>R10.11</b> Right upper quadrant pain <b>R10.12</b> Left upper quadrant pain <b>R10.13</b> Epigastric pain <b>R10.2</b> Pelvic pain <b>R10.30</b> Lower abdominal pain, unspecified <b>R10.31</b> Right lower quadrant pain <b>R10.32</b> Left lower quadrant pain <b>R10.33</b> Periumbilical pain <b>R10.84</b> Generalized abdominal pain
<b>780.99</b>	Other general symptoms
ICD-10-CM Codes	<b>R68.89</b> Other general symptoms and signs <b>R45.84</b> Anhedonia
<b>462</b>	Acute pharyngitis
ICD-10-CM Codes	<b>J02.8</b> Acute pharyngitis due to other specified organisms ** Use additional code (B95-B97) to identify infectious agent <b>J02.0</b> Streptococcal pharyngitis <b>J02.9</b> Acute pharyngitis, unspecified
<b>786.59</b>	Other chest pain
ICD-10-CM Codes	<b>R07.82</b> Intercostal pain <b>R07.89</b> Chest pain, other

ICD-9-CM Code	ICD-10-CM Code(s)
<b>599.0</b>	Urinary tract infection, site not specified
ICD-10-CM Codes	<b>N39.0</b> Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent ** There are more specific code choice selections available in ICD-10-CM. These include: <b>N30.00</b> Acute cystitis without hematuria <b>N30.01</b> Acute cystitis with hematuria <b>N30.10</b> Interstitial cystitis (chronic) without hematuria <b>N30.11</b> Interstitial cystitis (chronic) with hematuria <b>N30.20</b> Other chronic cystitis without hematuria <b>N30.21</b> Other chronic cystitis with hematuria <b>N30.30</b> Trigonitis without hematuria <b>N30.31</b> Trigonitis with hematuria <b>N30.40</b> Irradiation cystitis without hematuria <b>N30.41</b> Irradiation cystitis with hematuria <b>N30.80</b> Other cystitis without hematuria <b>N30.81</b> Other cystitis with hematuria <b>N30.90</b> Cystitis, unspecified without hematuria <b>N30.91</b> Cystitis, unspecified with hematuria <b>N15.9</b> Renal tubulo-interstitial disease, unspecified
<b>847.0</b>	Sprains and strains of neck
The appropriate 7th character is to be added to each code from category <b>S13</b> and <b>S16</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	** <b>These codes require a 7th character extender.</b> <b>S13.4XX-</b> Sprain of ligaments of cervical spine <b>S13.8XX-</b> Sprain of joints and ligaments of other parts of neck <b>S16.1XX-</b> Strain of muscle, fascia and tendon at neck level
<b>311</b>	Depressive disorder, not elsewhere classified
ICD-10-CM Codes	<b>F32.9</b> Major depressive disorder, single episode, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>F32.0</b> Major depressive disorder, single episode, mild <b>F32.1</b> Major depressive disorder, single episode, moderate <b>F32.2</b> Major depressive disorder, single episode, severe without psychotic features <b>F32.3</b> Major depressive disorder, single episode, severe with psychotic features <b>F32.4</b> Major depressive disorder, single episode, in partial remission <b>F32.5</b> Major depressive disorder, single episode, in full remission <b>F32.8</b> Other depressive episodes
<b>300.00</b>	Anxiety state, unspecified
ICD-10-CM Codes	<b>F41.1</b> Generalized anxiety disorder <b>F41.8</b> Other specified anxiety disorders <b>F41.9</b> Anxiety disorder, unspecified



ICD-9-CM Code	ICD-10-CM Code(s)
<b>525.9</b>	Unspecified disorder of the teeth and supporting structures
ICD-10-CM Codes	<p><b>K08.9</b> Disorder of teeth and supporting structures, unspecified                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>K08.51</b> Open restoration margins of tooth</p> <p><b>K08.530</b> Fractured dental restorative material without loss of material</p> <p><b>K08.531</b> Fractured dental restorative material with loss of material</p> <p><b>K08.539</b> Fractured dental restorative material, unspecified</p>
<b>786.09</b>	Other dyspnea and respiratory abnormalities
ICD-10-CM Codes	<p><b>R06.83</b> Snoring</p> <p><b>R06.3</b> Periodic breathing</p> <p><b>R06.4</b> Hyperventilation</p> <p><b>R06.00</b> Dyspnea, unspecified</p> <p><b>R06.89</b> Other abnormalities of breathing</p>
<b>787.01</b>	Nausea with vomiting
	<b>R11.2</b> Nausea with vomiting, unspecified
<b>844.9</b>	Sprains and strains of unspecified site of knee and leg
The appropriate 7th character is to be added to each code from category <b>583</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>** These codes require a 7th character extender.</b></p> <p><b>S83.90X-</b> Sprain of unspecified site of unspecified knee                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>S83.401-</b> Sprain of unspecified collateral ligament of right knee</p> <p><b>S83.402-</b> Sprain of unspecified collateral ligament of left knee</p> <p><b>S83.409-</b> Sprain of unspecified collateral ligament of unspecified knee</p> <p><b>S83.411-</b> Sprain of medial collateral ligament of right knee</p> <p><b>S83.412-</b> Sprain of medial collateral ligament of left knee</p> <p><b>S83.419-</b> Sprain of medial collateral ligament of unspecified knee</p> <p><b>S83.421-</b> Sprain of lateral collateral ligament of right knee</p> <p><b>S83.422-</b> Sprain of lateral collateral ligament of left knee</p> <p><b>S83.429-</b> Sprain of lateral collateral ligament of unspecified knee</p> <p><b>S83.501-</b> Sprain of unspecified cruciate ligament of right knee</p> <p><b>S83.502-</b> Sprain of unspecified cruciate ligament of left knee</p> <p><b>S83.509-</b> Sprain of unspecified cruciate ligament of unspecified knee</p> <p><b>S83.511-</b> Sprain of anterior cruciate ligament of right knee</p> <p><b>S83.512-</b> Sprain of anterior cruciate ligament of left knee</p> <p><b>S83.519-</b> Sprain of anterior cruciate ligament of unspecified knee</p> <p><b>S83.521-</b> Sprain of posterior cruciate ligament of right knee</p> <p><b>S83.522-</b> Sprain of posterior cruciate ligament of left knee</p> <p><b>S83.8X1-</b> Sprain of other specified parts of right knee</p> <p><b>S83.8X2-</b> Sprain of other specified parts of left knee</p> <p><b>S83.8X9-</b> Sprain of other specified parts of unspecified knee</p> <p><b>S83.91X-</b> Sprain of unspecified site of right knee</p> <p><b>S83.92X-</b> Sprain of unspecified site of left knee</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>789.03</b>	Abdominal pain right lower quadrant
	<b>R10.31</b> Right lower quadrant pain
<b>780.39</b>	Other convulsions
ICD-10-CM Codes	<p><b>R56.9</b> Unspecified convulsions                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>R56.00</b> Simple febrile convulsions</p> <p><b>R56.01</b> Complex febrile convulsions</p> <p><b>R56.1</b> Post traumatic seizures</p>
<b>780.4</b>	Dizziness and giddiness
	<b>R42</b> Dizziness and giddiness
<b>346.90</b>	Migraine, unspecified without mention of intractable migraine without mention of status migrainosus
ICD-10-CM Codes	<p><b>G43.909</b> Migraine, unspecified, not intractable, without status migrainosus                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>G43.009</b> Migraine without aura, not intractable, without status migrainosus</p> <p><b>G43.109</b> Migraine with aura, not intractable, without status migrainosus                      ** Code also any associated seizure (<b>G40-</b>, <b>R56.9</b>)</p> <p><b>G43.409</b> Hemiplegic migraine, not intractable, without status migrainosus</p> <p><b>G43.509</b> Persistent migraine aura without cerebral infarction, not intractable, without status migrainosus</p> <p><b>G43.609</b> Persistent migraine aura with cerebral infarction, not intractable, without status migrainosus                      ** Code also the type of cerebral infarction (<b>I63-</b>)</p> <p><b>G43.709</b> Chronic migraine without aura, not intractable, without status migrainosus</p> <p><b>G43.B0</b> Ophthalmoplegic migraine, not intractable</p> <p><b>G43.D0</b> Abdominal migraine, not intractable</p> <p><b>G43.809</b> Other migraine, not intractable, without status migrainosus</p>
<b>521.00</b>	Dental carries, unspecified
ICD-10-CM Codes	<p><b>K02.9</b> Dental carries, unspecified                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>K02.51</b> Dental carries on pit and fissure surface limited to enamel</p> <p><b>K02.52</b> Dental carries on pit and fissure surface penetrating into dentin</p> <p><b>K02.53</b> Dental carries on pit and fissure surface penetrating into pulp</p> <p><b>K02.61</b> Dental carries on smooth surface limited to enamel</p> <p><b>K02.62</b> Dental carries on smooth surface penetrating into dentin</p> <p><b>K02.63</b> Dental carries on smooth surface penetrating into pulp</p> <p><b>K02.7</b> Dental root carries</p>
<b>079.99</b>	Unspecified viral infection
	<b>B34.9</b> Viral infection, unspecified



ICD-9-CM Code	ICD-10-CM Code(s)
<b>490</b>	Bronchitis, not specified as acute or chronic
ICD-10-CM Codes	<p><b>J40</b> Bronchitis, not specified as acute or chronic                      ** Use additional code to identify:                      Exposure to environmental tobacco smoke (<b>Z77.22</b>)                      Exposure to tobacco smoke in the perinatal period (<b>P96.81</b>)                      History of tobacco use (<b>Z87.891</b>)                      Occupational exposure to environmental tobacco smoke (<b>Z57.31</b>)                      Tobacco dependence (<b>F17.-</b>)                      Tobacco use (<b>Z72.-</b>)                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>J20.0</b> Acute bronchitis due to <i>Mycoplasma pneumoniae</i>  <b>J20.1</b> Acute bronchitis due to <i>Hemophilus influenzae</i>  <b>J20.2</b> Acute bronchitis due to streptococcus  <b>J20.3</b> Acute bronchitis due to coxsackievirus  <b>J20.4</b> Acute bronchitis due to parainfluenza virus  <b>J20.5</b> Acute bronchitis due to respiratory syncytial virus  <b>J20.6</b> Acute bronchitis due to rhinovirus  <b>J20.7</b> Acute bronchitis due to echovirus  <b>J20.8</b> Acute bronchitis due to other specified organisms  <b>J20.9</b> Acute bronchitis, unspecified  <b>J41.0</b> Simple chronic bronchitis  <b>J41.1</b> Mucopurulent chronic bronchitis  <b>J41.8</b> Mixed simple and mucopurulent chronic bronchitis  <b>J42</b> Unspecified chronic bronchitis</p>
<b>789.06</b>	Abdominal pain, epigastric <b>R10.13</b> Epigastric pain
<b>682.6</b>	Other cellulitis and abscess of leg, except foot
ICD-10-CM Codes	<p><b>L03.115</b> Cellulitis of right lower limb  <b>L03.116</b> Cellulitis of left lower limb  <b>L03.119</b> Cellulitis of unspecified part of limb  <b>L03.125</b> Acute lymphangitis of right lower limb  <b>L03.126</b> Acute lymphangitis of left lower limb  <b>L03.129</b> Acute lymphangitis of unspecified part of limb</p>
<b>719.46</b>	Pain in joint, lower leg
ICD-10-CM Codes	<p><b>M25.561</b> Pain in right knee  <b>M25.562</b> Pain in left knee  <b>M25.569</b> Pain in unspecified knee</p>
<b>780.97</b>	Altered mental status
ICD-10-CM Codes	<p><b>R41.82</b> Altered mental status, unspecified                      ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>R41.0</b> Disorientation, unspecified  <b>R41.81</b> Age-related cognitive decline  <b>R41.840</b> Attention and concentration deficit  <b>R41.89</b> Other symptoms and signs involving cognitive functions and awareness</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>427.31</b>	Atrial fibrillation
ICD-10-CM Codes	<p><b>I48.0</b> Paroxysmal atrial fibrillation  <b>I48.1</b> Persistent atrial fibrillation  <b>I48.2</b> Chronic atrial fibrillation  <b>I48.91</b> Unspecified atrial fibrillation</p>
<b>920</b>	Contusion of face, scalp, and neck except eye(s)
The appropriate 7th character is to be added to each code from category <b>S00</b> and <b>S10</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>** These codes require a 7th character extender.</b>  <b>S00.93X-</b> Contusion of unspecified part of head  <b>S10.93X-</b> Contusion of unspecified part of neck                      ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>S10.83X-</b> Contusion of other specified part of neck  <b>S00.83X-</b> Contusion of other part of head  <b>S00.03X-</b> Contusion of scalp  <b>S00.33X-</b> Contusion of nose  <b>S00.431-</b> Contusion of right ear  <b>S00.432-</b> Contusion of left ear  <b>S00.439-</b> Contusion of unspecified ear  <b>S00.531-</b> Contusion of lip</p>
<b>786.2</b>	Cough <b>R05</b> Cough
<b>780.79</b>	Other malaise and fatigue
ICD-10-CM Codes	<p><b>R53.81</b> Other malaise  <b>R53.83</b> Other fatigue  <b>R53.0</b> Neoplastic (malignant) related fatigue                      * Code first associated neoplasm  <b>R53.1</b> Weakness  <b>G93.3</b> Postviral fatigue syndrome</p>
<b>789.07</b>	Abdominal pain, generalized <b>R10.84</b> Generalized abdominal pain
<b>882.0</b>	Open wound of hand except finger(s) alone without mention of complication
The appropriate 7th character is to be added to each code from category, <b>S61</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent encounter
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>** These codes require a 7th character extender.</b>  <b>S61.409-</b> Unspecified open wound of unspecified hand                      ** There are more specific code choice selections available in ICD-10-CM. These include:  <b>S61.401-</b> Unspecified open wound of right hand  <b>S61.402-</b> Unspecified open wound of left hand</p>



ICD-9-CM Code	ICD-10-CM Code(s)	
<b>882.0</b>	Continued	
ICD-10-CM Codes (cont.)	<b>S61.411-</b> Laceration without foreign body of right hand <b>S61.412-</b> Laceration without foreign body of left hand <b>S61.419-</b> Laceration without foreign body of unspecified hand <b>S61.421-</b> Laceration with foreign body of right hand <b>S61.422-</b> Laceration with foreign body of left hand <b>S61.429-</b> Laceration with foreign body of unspecified hand <b>S61.431-</b> Puncture wound without foreign body of right hand <b>S61.432-</b> Puncture wound without foreign body of left hand <b>S61.439-</b> Puncture wound without foreign body of unspecified hand <b>S61.441-</b> Puncture wound with foreign body of right hand <b>S61.442-</b> Puncture wound with foreign body of left hand <b>S61.449-</b> Puncture wound with foreign body of unspecified hand <b>S61.451-</b> Open bite of right hand <b>S61.452-</b> Open bite of left hand <b>S61.459-</b> Open bite of unspecified hand	
<b>592.0</b>	Calculus of kidney	<b>N20.0</b> Calculus of kidney
<b>276.51</b>	Dehydration	<b>E86.0</b> Dehydration
<b>564.00</b>	Constipation, unspecified	
ICD-10-CM Codes	<b>K59.00</b> Constipation, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>K59.01</b> Slow transit constipation <b>K59.02</b> Outlet dysfunction constipation <b>K59.09</b> Other constipation	
<b>786.52</b>	Painful respiration	
ICD-10-CM Codes	<b>R07.1</b> Chest pain on breathing <b>R07.81</b> Pleurodynia <b>R07.89</b> Other chest pain	
<b>382.9</b>	Unspecified otitis media	
ICD-10-CM Codes	<b>H66.90</b> Otitis media, unspecified, unspecified ear ** Use additional code for any associated perforated tympanic membrane ( <b>H72-</b> ) ** Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) Exposure to tobacco smoke in the perinatal period ( <b>P96.81</b> ) History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17-</b> ) Tobacco use ( <b>Z72.0</b> ) ** There are more specific code choice selections available in ICD-10-CM. These include: <b>H66.91</b> Otitis media, unspecified, right ear <b>H66.92</b> Otitis media, unspecified, left ear	

ICD-9-CM Code	ICD-10-CM Code(s)	
<b>382.9</b>	Continued	
ICD-10-CM Codes (cont.)	<b>H66.93</b> Otitis media, unspecified, bilateral <b>H65.00</b> Acute serous otitis media, unspecified ear <b>H65.01</b> Acute serous otitis media, right ear <b>H65.02</b> Acute serous otitis media, left ear <b>H65.03</b> Acute serous otitis media, bilateral <b>H65.04</b> Acute serous otitis media, recurrent, right ear <b>H65.05</b> Acute serous otitis media, recurrent, left ear <b>H65.06</b> Acute serous otitis media, recurrent, bilateral <b>H65.07</b> Acute serous otitis media, recurrent, unspecified ear <b>H65.111</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), right ear <b>H65.112</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear <b>H65.113</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral <b>H65.114</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear <b>H65.115</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear <b>H65.116</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral <b>H65.117</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, unspecified ear <b>H65.119</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), unspecified ear <b>H65.191</b> Other acute nonsuppurative otitis media, right ear <b>H65.192</b> Other acute nonsuppurative otitis media, left ear <b>H65.193</b> Other acute nonsuppurative otitis media, bilateral <b>H65.194</b> Other acute nonsuppurative otitis media, recurrent, right ear <b>H65.195</b> Other acute nonsuppurative otitis media, recurrent, left ear <b>H65.196</b> Other acute nonsuppurative otitis media, recurrent, bilateral <b>H65.197</b> Other acute nonsuppurative otitis media, recurrent, unspecified ear <b>H65.199</b> Other acute nonsuppurative otitis media, unspecified ear <b>H65.20</b> Chronic serous otitis media, unspecified ear <b>H65.21</b> Chronic serous otitis media, right ear <b>H65.22</b> Chronic serous otitis media, left ear <b>H65.23</b> Chronic serous otitis media, bilateral <b>H65.30</b> Chronic mucoid otitis media, unspecified ear <b>H65.31</b> Chronic mucoid otitis media, right ear <b>H65.32</b> Chronic mucoid otitis media, left ear <b>H65.33</b> Chronic mucoid otitis media, bilateral <b>H65.411</b> Chronic allergic otitis media, right ear <b>H65.412</b> Chronic allergic otitis media, left ear <b>H65.413</b> Chronic allergic otitis media, bilateral <b>H65.419</b> Chronic allergic otitis media, unspecified ear <b>H65.491</b> Other chronic nonsuppurative otitis media, right ear <b>H65.492</b> Other chronic nonsuppurative otitis media, left ear <b>H65.493</b> Other chronic nonsuppurative otitis media, bilateral <b>H65.499</b> Other chronic nonsuppurative otitis media, unspecified ear <b>H65.90</b> Unspecified nonsuppurative otitis media, unspecified ear <b>H65.91</b> Unspecified nonsuppurative otitis media, right ear <b>H65.92</b> Unspecified nonsuppurative otitis media, left ear <b>H65.93</b> Unspecified nonsuppurative otitis media, bilateral	





**ICD-9-CM Code**      **ICD-10-CM Code(s)**

<b>382.9</b>	Unspecified otitis media... Continued
ICD-10-CM Codes (cont.)	<b>H66.001</b> Acute suppurative otitis media without spontaneous rupture of ear drum, right ear
	<b>H66.002</b> Acute suppurative otitis media without spontaneous rupture of ear drum, left ear
	<b>H66.003</b> Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral
	<b>H66.004</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear
	<b>H66.005</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear
	<b>H66.006</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral
	<b>H66.007</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear
	<b>H66.009</b> Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear
	<b>H66.011</b> Acute suppurative otitis media with spontaneous rupture of ear drum, right ear
	<b>H66.012</b> Acute suppurative otitis media with spontaneous rupture of ear drum, left ear
	<b>H66.013</b> Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral
	<b>H66.014</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear
	<b>H66.015</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, left ear

**ICD-9-CM Code**      **ICD-10-CM Code(s)**

ICD-10-CM Codes (cont.)	<b>H66.016</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral	
	<b>H66.017</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear	
	<b>H66.019</b> Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear	
	<b>H66.10</b> Chronic tubotympanic suppurative otitis media, unspecified	
	<b>H66.11</b> Chronic tubotympanic suppurative otitis media, right ear	
	<b>H66.12</b> Chronic tubotympanic suppurative otitis media, left ear	
	<b>H66.13</b> Chronic tubotympanic suppurative otitis media, bilateral	
	<b>H66.20</b> Chronic atticoantral suppurative otitis media, unspecified ear	
	<b>H66.21</b> Chronic atticoantral suppurative otitis media, right ear	
	<b>H66.22</b> Chronic atticoantral suppurative otitis media, left ear	
	<b>H66.23</b> Chronic atticoantral suppurative otitis media, bilateral	
	<b>H66.3X1</b> Other chronic suppurative otitis media, right ear	
	<b>H66.3X2</b> Other chronic suppurative otitis media, left ear	
	<b>H66.3X3</b> Other chronic suppurative otitis media, bilateral	
	<b>H66.3X9</b> Other chronic suppurative otitis media, unspecified ear	
	<b>H66.40</b> Suppurative otitis media, unspecified, unspecified ear	
	<b>H66.41</b> Suppurative otitis media, unspecified, right ear	
	<b>H66.42</b> Suppurative otitis media, unspecified, left ear	
	<b>H66.43</b> Suppurative otitis media, unspecified, bilateral	
<b>H66.91</b> Unspecified otitis media, right ear		
<b>H66.92</b> Unspecified otitis media, left ear		
<b>H66.93</b> Unspecified otitis media, bilateral		
<b>787.91</b>	Diarrhea	<b>R19.7</b> Diarrhea, unspecified

*Fast Forward*  
to ICD-10



*Fast Forward*

*to ICD-10*

