



ICD-9-CM Code	ICD-10-CM Code(s)
<b>550.90</b>	Inguinal hernia, without mention of obstruction or gangrene, unilateral or unspecified (not specified as recurrent) <b>K40.90</b> Unilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent
<b>278.01</b>	Morbid obesity
ICD-10-CM Codes	<b>E66.01</b> Morbid (severe) obesity due to excess calories ** Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable ( <b>O99.21-</b> ) Use additional code to identify body mass index (BMI), if known ( <b>Z68-</b> )
<b>574.20</b>	Calculus of gallbladder without mention of cholecystitis, without mention of obstruction <b>K80.20</b> Calculus of gallbladder without cholecystitis without obstruction
<b>211.3</b>	Benign neoplasm of colon
ICD-10-CM Codes	<b>D12.0</b> Benign neoplasm of cecum <b>D12.1</b> Benign neoplasm of appendix <b>D12.2</b> Benign neoplasm of ascending colon <b>D12.3</b> Benign neoplasm of transverse colon <b>D12.4</b> Benign neoplasm of descending colon <b>D12.5</b> Benign neoplasm of sigmoid colon <b>D12.6</b> Benign neoplasm of colon, unspecified <b>D12.7</b> Benign neoplasm of rectosigmoid junction <b>K63.5</b> Polyp of colon
<b>V10.05</b>	Personal history of malignant neoplasm of large intestine
ICD-10-CM Codes	<b>Z85.038</b> Personal history of other malignant neoplasm of large intestine <b>Z85.030</b> Personal history of malignant carcinoid tumor of large intestine
<b>530.81</b>	Esophageal reflux
ICD-10-CM Codes	<b>K21.0</b> Gastro-esophageal reflux disease with esophagitis <b>K21.9</b> Gastro-esophageal reflux disease without esophagitis
<b>553.21</b>	Incisional hernia
ICD-10-CM Codes	<b>K43.0</b> Incisional hernia with obstruction, without gangrene <b>K43.1</b> Incisional hernia with gangrene <b>K43.2</b> Incisional hernia without obstruction or gangrene
<b>154.1</b>	Malignant neoplasm of rectum <b>C20</b> Malignant neoplasm of rectum
<b>V12.72</b>	Personal history of colonic polyps <b>Z86.010</b> Personal history of colonic polyps
<b>V76.51</b>	Screening colonoscopy, NOS <b>Z12.11</b> Encounter for screening for malignant neoplasm of colon
<b>455.2</b>	Internal hemorrhoids with other complications
ICD-10-CM Codes	<b>K64.0</b> First degree hemorrhoids <b>K64.1</b> Second degree hemorrhoids <b>K64.2</b> Third degree hemorrhoids <b>K64.3</b> Fourth degree hemorrhoids <b>K64.8</b> Other hemorrhoids <b>K64.9</b> Unspecified hemorrhoids

ICD-9-CM Code	ICD-10-CM Code(s)
<b>789.00</b>	Abdominal pain, unspecified
ICD-10-CM Codes	<b>R10.0</b> Acute abdomen <b>R10.10</b> Upper abdominal pain, unspecified <b>R10.11</b> Right upper quadrant pain <b>R10.12</b> Left upper quadrant pain <b>R10.13</b> Epigastric pain <b>R10.2</b> Pelvic and perineal pain <b>R10.30</b> Lower abdominal pain, unspecified <b>R10.31</b> Right lower quadrant pain <b>R10.32</b> Left lower quadrant pain <b>R10.33</b> Periumbilical pain <b>R10.84</b> Generalized abdominal pain <b>R10.9</b> Unspecified abdominal pain
<b>553.3</b>	Diaphragmatic hernia
ICD-10-CM Codes	<b>K44.9</b> Diaphragmatic hernia without obstruction or gangrene <b>K44.0</b> Diaphragmatic hernia with obstruction, without gangrene <b>K44.1</b> Diaphragmatic hernia with gangrene <b>Q79.0</b> Congenital diaphragmatic hernia
<b>540.9</b>	Acute appendicitis without mention of peritonitis
ICD-10-CM Codes	<b>K35.80</b> Unspecified acute appendicitis <b>K35.89</b> Other acute appendicitis
<b>564.00</b>	Constipation, unspecified
ICD-10-CM Codes	<b>K59.00</b> Constipation, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>K59.01</b> Slow transit constipation <b>K59.02</b> Outlet dysfunction constipation <b>K59.09</b> Other constipation
<b>562.10</b>	Diverticulosis of colon without mention of hemorrhage
ICD-10-CM Codes	<b>K57.30</b> Diverticulosis of large intestine without perforation or abscess without bleeding
<b>562.11</b>	Diverticulitis of colon without mention of hemorrhage
ICD-10-CM Codes	<b>K57.32</b> Diverticulitis of large intestine without perforation or abscess without bleeding <b>K57.20</b> Diverticulitis of large intestine with perforation and abscess without bleeding
<b>553.1</b>	Umbilical hernia
ICD-10-CM Codes	<b>K42.9</b> Umbilical hernia without obstruction or gangrene <b>K42.0</b> Umbilical hernia with obstruction, without gangrene <b>K42.1</b> Umbilical hernia with gangrene
<b>565.0</b>	Anal fissure
ICD-10-CM Codes	<b>K60.0</b> Acute anal fissure <b>K60.1</b> Chronic anal fissure <b>K60.2</b> Anal fissure, unspecified
<b>V16.0</b>	Family history of malignant neoplasm of gastrointestinal tract <b>Z80.0</b> Family history of malignant neoplasm of digestive organs



ICD-9-CM Code	ICD-10-CM Code(s)
<b>552.1</b>	Umbilical hernia with obstruction <b>K42.0</b> Umbilical hernia with obstruction, without gangrene
<b>553.20</b>	Ventral hernia, unspecified
ICD-10-CM Codes	<b>K43.6</b> Other and unspecified ventral hernia with obstruction, without gangrene <b>K43.7</b> Other and unspecified ventral hernia with gangrene <b>K43.9</b> Ventral hernia without obstruction or gangrene
<b>575.10</b>	Cholecystitis, unspecified
ICD-10-CM Codes	<b>K81.9</b> Cholecystitis, unspecified <b>K81.0</b> Acute cholecystitis <b>K81.1</b> Chronic cholecystitis <b>K81.2</b> Acute cholecystitis with chronic cholecystitis
<b>565.1</b>	Anal fistula <b>K60.3</b> Anal fistula
<b>455.5</b>	External hemorrhoids with other complications
ICD-10-CM Codes	<b>K64.4</b> Residual hemorrhoid skin tags <b>K64.5</b> Perianal venous thrombosis <b>K64.8</b> Hemorrhoids, other <b>K64.9</b> Hemorrhoids, unspecified
<b>555.9</b>	Regional enteritis, unspecified site
ICD-10-CM Codes	<b>K50.90</b> Crohn's disease, unspecified, without complications ** There are more specific code choice selections available in ICD-10-CM. These include: <b>K50.00</b> Crohn's disease of small intestine without complications <b>K50.011</b> Crohn's disease of small intestine with rectal bleeding <b>K50.012</b> Crohn's disease of small intestine with intestinal obstruction <b>K50.013</b> Crohn's disease of small intestine with fistula <b>K50.014</b> Crohn's disease of small intestine with abscess <b>K50.018</b> Crohn's disease of small intestine with other complication <b>K50.019</b> Crohn's disease of small intestine with unspecified complications <b>K50.10</b> Crohn's disease of large intestine without complications <b>K50.111</b> Crohn's disease of large intestine with rectal bleeding <b>K50.112</b> Crohn's disease of large intestine with intestinal obstruction <b>K50.113</b> Crohn's disease of large intestine with fistula <b>K50.114</b> Crohn's disease of large intestine with abscess <b>K50.118</b> Crohn's disease of large intestine with other complication <b>K50.119</b> Crohn's disease of large intestine with unspecified complications <b>K50.80</b> Crohn's disease of both small and large intestine without complications <b>K50.811</b> Crohn's disease of both small and large intestine with rectal bleeding <b>K50.812</b> Crohn's disease of both small and large intestine with intestinal obstruction <b>K50.813</b> Crohn's disease of both small and large intestine with fistula <b>K50.814</b> Crohn's disease of both small and large intestine with abscess <b>K50.818</b> Crohn's disease of both small and large intestine with other complication <b>K50.819</b> Crohn's disease of both small and large intestine with unspecified complications <b>K50.911</b> Crohn's disease, unspecified, with rectal bleeding <b>K50.912</b> Crohn's disease, unspecified, with intestinal obstruction <b>K50.913</b> Crohn's disease, unspecified, with fistula

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<b>K50.914</b> Crohn's disease, unspecified, with abscess <b>K50.918</b> Crohn's disease, unspecified, with other complication <b>K50.919</b> Crohn's disease, unspecified, with unspecified complications
<b>569.3</b>	Hemorrhage of rectum and anus <b>K62.5</b> Hemorrhage of anus and rectum
<b>574.10</b>	Cholelithiasis with acute cholecystitis, without mention of obstruction <b>K80.00</b> Calculus of gallbladder with acute cholecystitis without obstruction
<b>550.91</b>	Inguinal hernia, without mention of obstruction or gangrene, unilateral or unspecified, recurrent <b>K40.91</b> Unilateral inguinal hernia, without obstruction or gangrene, recurrent
<b>783.1</b>	Abnormal weight gain <b>R63.5</b> Abnormal weight gain
<b>787.60</b>	Full incontinence of feces <b>R15.9</b> Full incontinence of feces
<b>250.00</b>	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled <b>E11.9</b> Type 2 diabetes mellitus without complication
<b>556.8</b>	Ulcerative colitis, other
ICD-10-CM Codes	<b>K51.80</b> Other ulcerative colitis without complications <b>K51.811</b> Other ulcerative colitis with rectal bleeding <b>K51.812</b> Other ulcerative colitis with intestinal obstruction <b>K51.813</b> Other ulcerative colitis with fistula <b>K51.814</b> Other ulcerative colitis with abscess <b>K51.818</b> Other ulcerative colitis with other complication <b>K51.819</b> Other ulcerative colitis with unspecified complications
<b>685.1</b>	Pilonidal cyst without mention of abscess
ICD-10-CM Codes	<b>L05.91</b> Pilonidal cyst without abscess <b>L05.92</b> Pilonidal sinus without abscess
<b>239.0</b>	Neoplasm of unspecified nature, digestive system <b>D49.0</b> Neoplasm of unspecified behavior of digestive system
<b>278.00</b>	Obesity, unspecified
ICD-10-CM Codes	<b>E66.9</b> Obesity, unspecified ** Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable ( <b>O99.21-</b> ) * Use additional code to identify body mass index (BMI), if known ( <b>Z68-</b> ) ** There are more specific code choice selections available in ICD-10-CM. These include: <b>E66.3</b> Overweight <b>E66.8</b> Other obesity <b>E66.1</b> Drug-induced obesity * Use additional code for adverse effect, if applicable, to identify drug ( <b>T36-T50</b> with fifth or sixth character 5)



ICD-9-CM Code	ICD-10-CM Code(s)
<b>560.9</b>	Intestinal obstruction, unspecified
ICD-10-CM Codes	<p><b>K56.60</b> Unspecified intestinal obstruction                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>K56.5</b> Intestinal adhesions (bands) with obstruction (postprocedural) (postinfection)  <b>K56.0</b> Paralytic ileus  <b>K56.3</b> Gallstone ileus  <b>K56.2</b> Volvulus  <b>K56.69</b> Other intestinal obstruction  <b>K91.3</b> Postprocedural intestinal obstruction</p>
<b>787.99</b>	Other symptoms involving the digestive system (Change in bowel habits)
ICD-10-CM Codes	<p><b>R19.4</b> Change in bowel habit  <b>R19.8</b> Other specified symptoms and signs involving the digestive system and abdomen</p>
<b>157.9</b>	Malignant neoplasm of pancreas, part unspecified
ICD-10-CM Codes	<p><b>C25.9</b> Malignant neoplasm of pancreas, unspecified                      * Use additional code to identify alcohol abuse and dependence (F10-)                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>C25.0</b> Malignant neoplasm of head of pancreas  <b>C25.1</b> Malignant neoplasm of body of pancreas  <b>C25.2</b> Malignant neoplasm of tail of pancreas  <b>C25.3</b> Malignant neoplasm of pancreatic duct  <b>C25.4</b> Malignant neoplasm of endocrine pancreas                      * Use additional code to identify any functional activity  <b>C25.7</b> Malignant neoplasm of other parts of pancreas  <b>C25.8</b> Malignant neoplasm of overlapping sites of pancreas</p>
<b>789.03</b>	Abdominal Pain, RLQ <b>R10.31</b> Right lower quadrant pain
<b>211.4</b>	Benign neoplasm of rectum and anal canal
ICD-10-CM Codes	<p><b>D12.7</b> Benign neoplasm of rectosigmoid junction  <b>D12.8</b> Benign neoplasm of rectum  <b>D12.9</b> Benign neoplasm of anus and anal canal</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>578.9</b>	Hemorrhage of the gastrointestinal tract, unspecified <b>K92.2</b> Gastrointestinal hemorrhage, unspecified
<b>250.02</b>	Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled <b>E11.65</b> Diabetes mellitus Type 2 with hyperglycemia
<b>569.49</b>	Other specified diseases of anus and rectum <b>K62.89</b> Other specified diseases of anus and rectum * Use additional code for any associated fecal incontinence (R15-)
<b>569.1</b>	Rectal prolapse
ICD-10-CM Codes	<p><b>K62.2</b> Anal prolapse  <b>K62.3</b> Rectal prolapse</p>
<b>706.2</b>	Sebaceous cyst <b>L72.3</b> Sebaceous cyst
<b>575.8</b>	Other specified disorders of the gallbladder
ICD-10-CM Codes	<p><b>K82.8</b> Other specified diseases of the gallbladder  <b>K82.0</b> Obstruction of gallbladder  <b>K82.1</b> Hydrops of gallbladder  <b>K82.2</b> Perforation of the gallbladder  <b>K82.3</b> Fistula of gallbladder  <b>K82.4</b> Cholesterolosis of gallbladder  <b>K82.9</b> Diseases of gallbladder, unspecified</p>
<b>078.11</b>	Condyloma acuminatum <b>A63.0</b> Anogenital (venereal) warts
<b>153.0</b>	Malignant neoplasm of hepatic flexure <b>C18.3</b> Malignant neoplasm of hepatic flexure

# *Fast Forward*

*to ICD-10*

