



ICD-9-CM Code	ICD-10-CM Code(s)
<b>401.9</b>	Essential hypertension, unspecified <b>I10</b> Essential (primary) hypertension
<b>250.00</b>	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled <b>E11.9</b> Type 2 diabetes mellitus without complications
<b>272.4</b>	Other and unspecified hyperlipidemia
ICD-10-CM Codes	<b>E78.4</b> Other hyperlipidemia <b>E78.5</b> Hyperlipidemia, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>E78.0</b> Pure hypercholesterolemia <b>E78.1</b> Pure hyperglyceridemia <b>E78.2</b> Mixed hyperlipidemia <b>E78.3</b> Hyperchylomicronemia <b>E78.6</b> Lipoprotein deficiency
<b>V70.0</b>	Routine general medical examination at a health care facility
ICD-10-CM Codes	<b>Z00.00</b> Encounter for general adult medical examination without abnormal findings <b>Z00.01</b> Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings
<b>724.5</b>	Backache, unspecified
ICD-10-CM Codes	<b>M54.9</b> Dorsalgia, unspecified ** There are more specific code choice selections available for back pain. These include: <b>M54.89</b> Other dorsalgia <b>M54.6</b> Pain in thoracic spine <b>M54.5</b> Low back pain <b>M53.3</b> Sacroccygeal disorders, not elsewhere classified
<b>414.00</b>	Coronary atherosclerosis of unspecified type of vessel, native or graft <b>I25.10</b> Atherosclerotic heart disease of native coronary artery without angina pectoris
<b>V72.81</b>	Preoperative cardiovascular examination <b>Z01.810</b> Encounter for preprocedural cardiovascular examination
<b>780.79</b>	Other malaise and fatigue
ICD-10-CM Codes	<b>R53.1</b> Weakness <b>R53.81</b> Other malaise <b>R53.83</b> Other fatigue <b>G93.3</b> Postviral fatigue syndrome <b>R53.0</b> Neoplastic (malignant) related fatigue * Code first associated neoplasm
<b>496</b>	Chronic airway obstruction, not elsewhere classified
ICD-10-CM Codes	<b>J44.9</b> Chronic obstructive pulmonary disease, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>J44.0</b> Chronic obstructive pulmonary disease with acute lower respiratory infection <b>J44.1</b> Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable ( <b>J45.-</b> ) ** Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) History of tobacco use ( <b>Z87.891</b> )

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17.-</b> ) Tobacco use ( <b>Z72.0</b> )
<b>427.31</b>	Atrial fibrillation
ICD-10-CM Codes	<b>I48.0</b> Paroxysmal atrial fibrillation <b>I48.1</b> Persistent atrial fibrillation <b>I48.2</b> Chronic atrial fibrillation <b>I48.91</b> Unspecified atrial fibrillation
<b>V04.81</b>	Need for prophylactic vaccination and inoculation, influenza <b>Z23</b> Encounter for immunization
<b>786.2</b>	Cough <b>R05</b> Cough
<b>311</b>	Depressive disorder, not elsewhere classified
ICD-10-CM Codes	<b>F32.9</b> Major depressive disorder, single episode, unspecified ** There are more specific code choice selections available for depression. These include: <b>F32.0</b> Major depressive disorder, single episode, mild <b>F32.1</b> Major depressive disorder, single episode, moderate <b>F32.2</b> Major depressive disorder, single episode, severe without psychotic features <b>F32.3</b> Major depressive disorder, single episode, severe with psychotic features <b>F32.4</b> Major depressive disorder, single episode, in partial remission <b>F32.5</b> Major depressive disorder, single episode, in full remission <b>F32.8</b> Other depressive episodes
<b>250.02</b>	Diabetes mellitus without mention of complications type II or unspecified type, uncontrolled <b>E11.65</b> Type 2 diabetes mellitus with hyperglycemia
<b>729.5</b>	Pain in limb
ICD-10-CM Codes	<b>M79.609</b> Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: <b>M79.601</b> Pain in right arm <b>M79.602</b> Pain in left arm <b>M79.603</b> Pain in arm, unspecified <b>M79.604</b> Pain in right leg <b>M79.605</b> Pain in left leg <b>M79.606</b> Pain in leg, unspecified <b>M79.621</b> Pain in right upper arm <b>M79.622</b> Pain in left upper arm <b>M79.629</b> Pain in unspecified upper arm <b>M79.631</b> Pain in right forearm <b>M79.632</b> Pain in left forearm <b>M79.639</b> Pain in unspecified forearm <b>M79.641</b> Pain in right hand <b>M79.642</b> Pain in left hand <b>M79.643</b> Pain in unspecified hand <b>M79.644</b> Pain in right finger(s) <b>M79.645</b> Pain in left finger(s) <b>M79.646</b> Pain in unspecified finger(s) <b>M79.671</b> Pain in right foot <b>M79.672</b> Pain in left foot <b>M79.673</b> Pain in unspecified foot <b>M79.674</b> Pain in right toe(s)



ICD-9-CM Code	ICD-10-CM Code(s)
<b>729.5</b> (cont.)	Pain in limb
ICD-10-CM Codes (cont.)	<b>M79.675</b> Pain in left toe(s) <b>M79.676</b> Pain in unspecified toe(s) <b>M79.651</b> Pain in right thigh <b>M79.652</b> Pain in left thigh <b>M79.659</b> Pain in unspecified thigh <b>M79.661</b> Pain in right lower leg <b>M79.662</b> Pain in left lower leg <b>M79.669</b> Pain in unspecified lower leg
<b>428.0</b>	Congestive heart failure, unspecified
ICD-10-CM Codes	<b>I50.9</b> Heart failure, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>I50.1</b> Left ventricular failure <b>I50.21</b> Acute systolic (congestive) heart failure <b>I50.22</b> Chronic systolic (congestive) heart failure <b>I50.23</b> Acute on chronic systolic (congestive) heart failure <b>I50.31</b> Acute diastolic (congestive) heart failure <b>I50.32</b> Chronic diastolic (congestive) heart failure <b>I50.33</b> Acute on chronic diastolic (congestive) heart failure <b>I50.41</b> Acute combined systolic (congestive) and diastolic (congestive) heart failure <b>I50.42</b> Chronic combined systolic (congestive) and diastolic (congestive) heart failure <b>I50.43</b> Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure
<b>782.1</b>	Rash and other nonspecific skin eruption <b>R21</b> Rash and other nonspecific skin changes
<b>786.50</b>	Chest pain, unspecified
ICD-10-CM Codes	<b>R07.9</b> Chest pain, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>R07.1</b> Chest pain on breathing <b>R07.81</b> Pleurodynia <b>R07.89</b> Other chest pain
<b>789.00</b>	Abdominal pain, unspecified site
ICD-10-CM Codes	<b>R10.9</b> Unspecified abdominal pain ** There are more specific code choice selections available for abdominal pain. These include: <b>R10.0</b> Acute abdomen <b>R10.10</b> Upper abdominal pain, unspecified <b>R10.11</b> Right upper quadrant pain <b>R10.12</b> Left upper quadrant pain <b>R10.13</b> Epigastric pain <b>R10.2</b> Pelvic and perineal pain <b>R10.30</b> Lower abdominal pain, unspecified <b>R10.31</b> Right lower quadrant pain <b>R10.32</b> Left lower quadrant pain <b>R10.33</b> Periumbilical pain <b>R10.84</b> Generalized abdominal pain

ICD-9-CM Code	ICD-10-CM Code(s)
<b>719.46</b>	Pain in joint, lower leg
ICD-10-CM Codes	<b>M25.561</b> Pain in right knee <b>M25.562</b> Pain in left knee <b>M25.569</b> Pain in unspecified knee
<b>782.3</b>	Edema
ICD-10-CM Codes	<b>R60.0</b> Localized edema <b>R60.1</b> Generalized edema <b>R60.9</b> Edema, unspecified
<b>300.00</b>	Anxiety state, unspecified
ICD-10-CM Codes	<b>F41.1</b> Generalized anxiety disorder <b>F41.8</b> Other specified anxiety disorders <b>F41.9</b> Anxiety disorder, unspecified
<b>V72.83</b>	Other specified preoperative examination <b>Z01.818</b> Encounter for other preprocedural examination
<b>780.4</b>	Dizziness and giddiness <b>R42</b> Dizziness and giddiness
<b>466.0</b>	Acute bronchitis
ICD-10-CM Codes	<b>J20.9</b> Acute bronchitis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: <b>J20.0</b> Acute bronchitis due to Mycoplasma pneumoniae <b>J20.1</b> Acute bronchitis due to Hemophilus influenzae <b>J20.2</b> Acute bronchitis due to streptococcus <b>J20.3</b> Acute bronchitis due to coxsackievirus <b>J20.4</b> Acute bronchitis due to parainfluenza virus <b>J20.5</b> Acute bronchitis due to respiratory syncytial virus <b>J20.6</b> Acute bronchitis due to rhinovirus <b>J20.7</b> Acute bronchitis due to echovirus <b>J20.8</b> Acute bronchitis due to other specified organisms
<b>786.05</b>	Shortness of breath <b>R06.02</b> Shortness of breath
<b>465.9</b>	Acute upper respiratory infections of unspecified site
ICD-10-CM Codes	<b>J06.9</b> Acute upper respiratory infection, unspecified <b>J39.8</b> Other specified diseases of upper respiratory tract
<b>530.81</b>	Esophageal reflux
ICD-10-CM Codes	<b>K21.9</b> Gastro-esophageal reflux disease without esophagitis <b>K21.0</b> Gastro-esophageal reflux disease with esophagitis



ICD-9-CM Code	ICD-10-CM Code(s)
<b>599.0</b>	Urinary tract infection, site not specified
ICD-10-CM Codes	<p><b>N39.0</b> Urinary tract infection, site not specified                      ** Use additional code (B95-B97) to identify infectious agent                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>N30.00</b> Acute cystitis without hematuria  <b>N30.01</b> Acute cystitis with hematuria  <b>N30.10</b> Interstitial cystitis (chronic) without hematuria  <b>N30.11</b> Interstitial cystitis (chronic) with hematuria  <b>N30.20</b> Other chronic cystitis without hematuria  <b>N30.21</b> Other chronic cystitis with hematuria  <b>N30.30</b> Trigonitis without hematuria  <b>N30.31</b> Trigonitis with hematuria  <b>N30.40</b> Irradiation cystitis without hematuria  <b>N30.41</b> Irradiation cystitis with hematuria  <b>N30.80</b> Other cystitis without hematuria  <b>N30.81</b> Other cystitis with hematuria</p>
ICD-10-CM Codes (cont.)	<p><b>N30.80</b> Other cystitis without hematuria  <b>N30.81</b> Other cystitis with hematuria  <b>N30.90</b> Cystitis, unspecified without hematuria  <b>N30.91</b> Cystitis, unspecified with hematuria  <b>N15.9</b> Renal tubule-interstitial disease, unspecified  <b>N34.1</b> Nonspecific urethritis  <b>N34.2</b> Other urethritis</p>
<b>724.4</b>	Thoracic or lumbosacral neuritis or radiculitis, unspecified
ICD-10-CM Codes	<p><b>M54.14</b> Radiculopathy, thoracic region  <b>M54.15</b> Radiculopathy, thoracolumbar region  <b>M54.16</b> Radiculopathy, lumbar region  <b>M54.17</b> Radiculopathy, lumbosacral region</p>
<b>244.9</b>	Unspecified hypothyroidism
ICD-10-CM Codes	<p><b>E03.9</b> Hypothyroidism, unspecified                      ** There are more specific code choice selections available for hypothyroidism. These include:</p> <p><b>E03.0</b> Congenital hypothyroidism with diffuse goiter  <b>E03.1</b> Congenital hypothyroidism without goiter  <b>E03.2</b> Hypothyroidism due to medicaments and other exogenous substances                      ** Code first poisoning due to drug or toxin, if applicable (<b>T36-T65</b> with fifth or sixth character 1-4 or 6)                      * Use additional code for adverse effect, if applicable, to identify drug (<b>T36-T50</b> with fifth or sixth character 5)</p> <p><b>E03.3</b> Postinfectious hypothyroidism  <b>E03.4</b> Atrophy of thyroid (acquired)  <b>E03.5</b> Myxedema coma  <b>E03.8</b> Other specified hypothyroidism</p>
<b>380.4</b>	Impacted cerumen
ICD-10-CM Codes	<p><b>H61.21</b> Impacted cerumen, right ear  <b>H61.22</b> Impacted cerumen, left ear  <b>H61.23</b> Impacted cerumen, bilateral  <b>H61.20</b> Impacted cerumen, unspecified ear</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>719.41</b>	Pain in joint, shoulder region
ICD-10-CM Codes	<p><b>M25.511</b> Pain in right shoulder  <b>M25.512</b> Pain in left shoulder  <b>M25.519</b> Pain in unspecified shoulder</p>
<b>290.0</b>	Senile dementia, uncomplicated
	<b>F03.9</b> Unspecified dementia
<b>723.1</b>	Cervicalgia
	<b>M54.2</b> Cervicalgia
<b>787.91</b>	Diarrhea
	<b>R19.7</b> Diarrhea, unspecified
<b>285.9</b>	Anemia, unspecified
ICD-10-CM Codes	<p><b>D64.9</b> Anemia, unspecified                      ** There are more specific code choice selections available for use. These include:</p> <p><b>D64.0</b> Hereditary sideroblastic anemia  <b>D64.1</b> Secondary sideroblastic anemia due to disease                      ** Code first underlying disease</p>
ICD-10-CM Codes (cont.)	<p><b>D64.2</b> Secondary sideroblastic anemia due to drugs and toxins                      ** Code first (<b>T36-T65</b>) to identify drug or toxin                      ** Code first poisoning due to drug or toxin, if applicable (<b>T36-T65</b> with fifth or sixth character 1-4 or 6)                      * Use additional code for adverse effect, if applicable, to identify drug (<b>T36-T50</b> with fifth or sixth character 5)</p> <p><b>D64.3</b> Other sideroblastic anemia  <b>D64.81</b> Anemia due to antineoplastic chemotherapy  <b>D64.89</b> Other specified anemias</p>
<b>461.9</b>	Acute sinusitis, unspecified
ICD-10-CM Codes	<p><b>J01.90</b> Acute sinusitis, unspecified                      ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>J01.00</b> Acute maxillary sinusitis, unspecified  <b>J01.01</b> Acute recurrent maxillary sinusitis  <b>J01.10</b> Acute frontal sinusitis, unspecified  <b>J01.11</b> Acute recurrent frontal sinusitis  <b>J01.20</b> Acute ethmoidal sinusitis, unspecified  <b>J01.21</b> Acute recurrent ethmoidal sinusitis  <b>J01.30</b> Acute sphenoidal sinusitis  <b>J01.31</b> Acute recurrent sphenoidal sinusitis  <b>J01.40</b> Acute pansinusitis, unspecified  <b>J01.41</b> Acute recurrent pansinusitis  <b>J01.80</b> Other acute sinusitis  <b>J01.81</b> Other acute recurrent sinusitis, unspecified  <b>J01.91</b> Acute recurrent sinusitis, unspecified</p>
<b>719.45</b>	Pain in joint, pelvic region and thigh
ICD-10-CM Codes	<p><b>M25.551</b> Pain in right hip  <b>M25.552</b> Pain in left hip  <b>M25.559</b> Pain in unspecified hip</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>477.9</b>	Allergic rhinitis, cause unspecified
ICD-10-CM Codes	<p><b>J30.9</b> Allergic rhinitis, unspecified                      ** There are more specific code choice selections available for allergic rhinitis. These include:  <b>J30.0</b> Vasomotor rhinitis  <b>J30.1</b> Allergic rhinitis due to pollen  <b>J30.2</b> Other seasonal allergic rhinitis  <b>J30.5</b> Allergic rhinitis due to food  <b>J30.81</b> Allergic rhinitis due to animal (cat) (dog) hair and dander  <b>J30.89</b> Other allergic rhinitis</p>
<b>784.0</b>	Headache <b>R51</b> Headache
<b>564.00</b>	Constipation, unspecified
ICD-10-CM Codes	<p><b>K59.00</b> Constipation, unspecified                      ** There are more specific code choice selections available for constipation. These include:  <b>K59.01</b> Slow transit constipation  <b>K59.02</b> Outlet dysfunction constipation  <b>K59.09</b> Other constipation</p>
<b>486</b>	Pneumonia, organism unspecified
ICD-10-CM Codes	<p><b>J18.9</b> Pneumonia, unspecified organism  <b>J18.8</b> Other pneumonia, unspecified organism                      ** Code first associated influenza, if applicable (<b>J09.X1, J10.0- to J11.0-</b>)</p>
<b>338.4</b>	Chronic pain syndrome <b>G89.4</b> Chronic pain syndrome
<b>796.2</b>	Elevated blood pressure reading without diagnosis of hypertension <b>R03.0</b> Elevated blood-pressure reading, without diagnosis of hypertension
<b>780.2</b>	Syncope and collapse <b>R55</b> Syncope and collapse

ICD-9-CM Code	ICD-10-CM Code(s)
<b>493.90</b>	Asthma, unspecified
ICD-10-CM Codes	<p><b>J45.909</b> Unspecified asthma, uncomplicated                      ** There are more specific code choice selections available for asthma. These include:  <b>J45.20</b> Mild intermittent asthma, uncomplicated  <b>J45.21</b> Mild intermittent asthma with (acute) exacerbation  <b>J45.22</b> Mild intermittent asthma with status asthmaticus  <b>J45.30</b> Mild persistent asthma, uncomplicated  <b>J45.31</b> Mild persistent asthma with (acute) exacerbation  <b>J45.32</b> Mild persistent asthma with status asthmaticus  <b>J45.40</b> Moderate persistent asthma, uncomplicated  <b>J45.41</b> Moderate persistent asthma with (acute) exacerbation  <b>J45.42</b> Moderate persistent asthma with status asthmaticus  <b>J45.50</b> Severe persistent asthma, uncomplicated  <b>J45.51</b> Severe persistent asthma with (acute) exacerbation  <b>J45.52</b> Severe persistent asthma with status asthmaticus  <b>J45.901</b> Unspecified asthma with (acute) exacerbation  <b>J45.902</b> Unspecified asthma with status asthmaticus  <b>J45.990</b> Exercise induced bronchospasm  <b>J45.991</b> Cough variant asthma  <b>J45.998</b> Other asthma                      * Use additional code to identify:                      exposure to environmental tobacco smoke (<b>Z77.22</b>)                      exposure to tobacco smoke in the perinatal period (<b>P96.81</b>)                      history of tobacco use (<b>Z87.891</b>)                      occupational exposure to environmental tobacco smoke (<b>Z57.31</b>)                      tobacco dependence (<b>F17-</b>)                      tobacco use (<b>Z72.0</b>)</p>
<b>724.2</b>	Lumbago <b>M54.5</b> Low back pain
<b>682.6</b>	Cellulitis and abscess leg, except foot
ICD-10-CM Codes	<p><b>L03.115</b> Cellulitis of right lower limb  <b>L03.116</b> Cellulitis of left lower limb  <b>L03.119</b> Cellulitis of unspecified part of limb  <b>L03.125</b> Acute lymphangitis of right lower limb  <b>L03.126</b> Acute lymphangitis of left lower limb  <b>L03.129</b> Acute lymphangitis of unspecified part of limb</p>
<b>462</b>	Acute pharyngitis
ICD-10-CM Codes	<p><b>J02.8</b> Acute pharyngitis due to other specified organisms                      ** Use additional code (<b>B95-B97</b>) to identify infectious agent  <b>J02.0</b> Streptococcal pharyngitis  <b>J02.9</b> Acute pharyngitis, unspecified</p>