



ICD-9-CM Code	ICD-10-CM Code(s)
<b>715.36</b>	Osteoarthritis, localized, not specified whether primary or secondary, lower leg
ICD-10-CM Codes	<b>M16.0</b> Bilateral primary osteoarthritis of hip <b>M16.10</b> Unilateral primary osteoarthritis, unspecified hip <b>M16.11</b> Unilateral primary osteoarthritis, right hip <b>M16.12</b> Unilateral primary osteoarthritis, left hip <b>M16.6</b> Other bilateral secondary osteoarthritis of hip <b>M16.7</b> Other unilateral secondary osteoarthritis of hip <b>M16.9</b> Osteoarthritis of hip, unspecified <b>M17.0</b> Bilateral primary osteoarthritis of knee <b>M17.10</b> Unilateral primary osteoarthritis, unspecified knee <b>M17.11</b> Unilateral primary osteoarthritis, right knee <b>M17.12</b> Unilateral primary osteoarthritis, left knee <b>M19.271</b> Secondary osteoarthritis, right ankle and foot <b>M19.272</b> Secondary osteoarthritis, left ankle and foot <b>M19.279</b> Secondary osteoarthritis, unspecified ankle and foot
<b>715.35</b>	Osteoarthritis, localized, not specified whether primary or secondary, pelvic region and thigh
ICD-10-CM Codes	<b>M16.0</b> Bilateral primary osteoarthritis of hip <b>M16.10</b> Unilateral primary osteoarthritis, unspecified hip <b>M16.11</b> Unilateral primary osteoarthritis, right hip <b>M16.12</b> Unilateral primary osteoarthritis, left hip <b>M16.6</b> Other bilateral secondary osteoarthritis of hip <b>M16.7</b> Other unilateral secondary osteoarthritis of hip <b>M16.9</b> Osteoarthritis of hip, unspecified
<b>719.46</b>	Joint pain, lower leg
ICD-10-CM Codes	<b>M25.551</b> Pain in right hip <b>M25.552</b> Pain in left hip <b>M25.559</b> Pain in unspecified hip <b>M25.561</b> Pain in right knee <b>M25.562</b> Pain in left knee <b>M25.569</b> Pain in unspecified knee
<b>719.45</b>	Joint pain, pelvic region and thigh
ICD-10-CM Codes	<b>M25.551</b> Pain in right hip <b>M25.552</b> Pain in left hip <b>M25.559</b> Pain in unspecified hip
<b>836.0</b>	Tear of medial cartilage or meniscus of knee, current
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S83</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b> <b>S83.211</b> Bucket-handle tear of medial meniscus, current injury, right knee <b>S83.212</b> Bucket-handle tear of medial meniscus, current injury, left knee <b>S83.219</b> Bucket-handle tear of medial meniscus, current injury, unspecified knee <b>S83.221</b> Peripheral tear of medial meniscus, current injury, right knee

ICD-9-CM Code	ICD-10-CM Code(s)
<b>836.0</b>	Continued
ICD-10-CM Codes	<b>S83.222</b> Peripheral tear of medial meniscus, current injury, left knee <b>S83.229</b> Peripheral tear of medial meniscus, current injury, unspecified knee <b>S83.231</b> Complex tear of medial meniscus, current injury, right knee <b>S83.232</b> Complex tear of medial meniscus, current injury, left knee <b>S83.239</b> Complex tear of medial meniscus, current injury, unspecified knee <b>S83.241</b> Other tear of medial meniscus, current injury, right knee <b>S83.242</b> Other tear of medial meniscus, current injury, left knee <b>S83.249</b> Other tear of medial meniscus, current injury, unspecified knee
<b>824.6</b>	Trimalleolar fracture, closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S82.85</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b> <b>S82.851</b> Displaced trimalleolar fracture of right lower leg <b>S82.852</b> Displaced trimalleolar fracture of left lower leg <b>S82.853</b> Displaced trimalleolar fracture of unspecified lower leg <b>S82.854</b> Nondisplaced trimalleolar fracture of right lower leg <b>S82.855</b> Nondisplaced trimalleolar fracture of left lower leg <b>S82.856</b> Nondisplaced trimalleolar fracture of unspecified lower leg



ICD-9-CM Code	ICD-10-CM Code(s)
<b>996.78</b>	Other complications of internal (biological)(synthetic) prosthetic device, implant, and graft, due to other internal orthopedic device, implant, and graft
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T84</b>	
<b>A</b>	initial encounter for closed fracture
<b>D</b>	subsequent encounter for fracture with routine healing
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>T84.81X</b> Embolism due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.82X</b> Fibrosis due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.83X</b> Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.84X</b> Pain due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.85X</b> Stenosis due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.86X</b> Thrombosis due to internal orthopedic prosthetic devices, implants and grafts</p> <p><b>T84.89X</b> Other specified complication of internal orthopedic prosthetic devices, implants and grafts</p>
<b>715.89</b>	Osteoarthritis involving, or with mention of more than one site, but not specified as general
ICD-10-CM Codes	<p><b>M15.3</b> Secondary multiple arthritis</p> <p><b>M15.8</b> Other polyosteoarthritis</p>
<b>844.2</b>	Sprain and strain of cruciate ligament of knee
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S83</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S83.501</b> Sprain of unspecified cruciate ligament of right knee</p> <p><b>S83.502</b> Sprain of unspecified cruciate ligament of left knee</p> <p><b>S83.509</b> Sprain of unspecified cruciate ligament of unspecified knee</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>S83.511</b> Sprain of anterior cruciate ligament of right knee</p> <p><b>S83.512</b> Sprain of anterior cruciate ligament of left knee</p> <p><b>S83.519</b> Sprain of anterior cruciate ligament of unspecified knee</p> <p><b>S83.521</b> Sprain of posterior cruciate ligament of right knee</p> <p><b>S83.522</b> Sprain of posterior cruciate ligament of left knee</p> <p><b>S83.529</b> Sprain of posterior cruciate ligament of unspecified knee</p>
<b>726.5</b>	Enthesopathy of hip region
ICD-10-CM Codes	<p><b>M76.891</b> Other specified enthesopathies of right lower limb, excluding foot</p> <p><b>M76.892</b> Other specified enthesopathies of left lower limb, excluding foot</p> <p><b>M76.899</b> Other specified enthesopathies of unspecified lower limb, excluding foot</p> <p><b>M76.9</b> Unspecified enthesopathy, lower limb, excluding foot</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>825.25</b>	Fracture of metatarsal bone(s), closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S92</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S92.301</b> Fracture of unspecified metatarsal bone(s), right foot</p> <p><b>S92.302</b> Fracture of unspecified metatarsal bone(s), left foot</p> <p><b>S92.309</b> Fracture of unspecified metatarsal bone(s), unspecified foot</p> <p><b>S92.311</b> Displaced fracture of first metatarsal bone, right foot</p> <p><b>S92.312</b> Displaced fracture of first metatarsal bone, left foot</p> <p><b>S92.319</b> Displaced fracture of first metatarsal bone, unspecified foot</p> <p><b>S92.314</b> Nondisplaced fracture of first metatarsal bone, right foot</p> <p><b>S92.315</b> Nondisplaced fracture of first metatarsal bone, left foot</p> <p><b>S92.316</b> Nondisplaced fracture of first metatarsal bone, unspecified foot</p> <p><b>S92.321</b> Displaced fracture of second metatarsal bone, right foot</p> <p><b>S92.322</b> Displaced fracture of second metatarsal bone, left foot</p> <p><b>S92.323</b> Displaced fracture of second metatarsal bone, unspecified foot</p> <p><b>S92.324</b> Nondisplaced fracture of second metatarsal bone, right foot</p> <p><b>S92.325</b> Nondisplaced fracture of second metatarsal bone, left foot</p> <p><b>S92.326</b> Nondisplaced fracture of second metatarsal bone, unspecified foot</p> <p><b>S92.331</b> Displaced fracture of third metatarsal bone, right foot</p> <p><b>S92.332</b> Displaced fracture of third metatarsal bone, left foot</p> <p><b>S92.333</b> Displaced fracture of third metatarsal bone, unspecified foot</p> <p><b>S92.334</b> Nondisplaced fracture of third metatarsal bone, right foot</p> <p><b>S92.335</b> Nondisplaced fracture of third metatarsal bone, left foot</p> <p><b>S92.336</b> Nondisplaced fracture of third metatarsal bone, unspecified foot</p> <p><b>S92.341</b> Displaced fracture of fourth metatarsal, right foot</p> <p><b>S92.342</b> Displaced fracture of fourth metatarsal, left foot</p> <p><b>S92.343</b> Displaced fracture of fourth metatarsal, unspecified foot</p> <p><b>S92.344</b> Nondisplaced fracture of fourth metatarsal, right foot</p> <p><b>S92.345</b> Nondisplaced fracture of fourth metatarsal, left foot</p> <p><b>S92.346</b> Nondisplaced fracture of fourth metatarsal, unspecified foot</p> <p><b>S92.351</b> Displaced fracture of fifth metatarsal bone, right foot</p> <p><b>S92.352</b> Displaced fracture of fifth metatarsal bone, left foot</p> <p><b>S92.353</b> Displaced fracture of fifth metatarsal bone, unspecified foot</p> <p><b>S92.354</b> Nondisplaced fracture of fifth metatarsal bone, right foot</p> <p><b>S92.355</b> Nondisplaced fracture of fifth metatarsal bone, left foot</p> <p><b>S92.356</b> Nondisplaced fracture of fifth metatarsal bone, unspecified foot</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>820.8</b>	Fracture of unspecified part of neck of femur, closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S72</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIa, IIIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b> <b>S72.001</b> Fracture of unspecified part of neck of right femur <b>S72.002</b> Fracture of unspecified part of neck of left femur <b>S72.009</b> Fracture of unspecified part of neck of unspecified femur
<b>820.21</b>	Fracture intertrochanteric section, closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S72</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion

ICD-9-CM Code	ICD-10-CM Code(s)
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIa, IIIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*This code requires a 7<sup>th</sup> character extender</b> <b>S72.141</b> Displaced intertrochanteric fracture of right femur <b>S72.142</b> Displaced intertrochanteric fracture of left femur <b>S72.143</b> Displaced intertrochanteric fracture of unspecified femur <b>S72.144</b> Nondisplaced intertrochanteric fracture of right femur <b>S72.145</b> Nondisplaced intertrochanteric fracture of left femur <b>S72.146</b> Nondisplaced intertrochanteric fracture of unspecified femur
<b>719.47</b>	Ankle joint pain
ICD-10-CM Codes	<b>M25.571</b> Pain in right ankle <b>M25.572</b> Pain in left ankle <b>M25.573</b> Pain in unspecified ankle
<b>717.2</b>	Derangement of posterior horn of medial meniscus
ICD-10-CM Codes	<b>M23.321</b> Other meniscus derangements, posterior horn of medial meniscus, right knee <b>M23.322</b> Other meniscus derangements, posterior horn of medial meniscus, left knee <b>M23.329</b> Other meniscus derangements, posterior horn of medial meniscus, unspecified knee
<b>735.0</b>	Hallux valgus (acquired)
ICD-10-CM Codes	<b>M20.10</b> Hallux valgus (acquired), unspecified foot <b>M20.11</b> Hallux valgus (acquired), right foot <b>M20.12</b> Hallux valgus (acquired), left foot
<b>733.82</b>	Nonunion of fracture
ICD-10-CM Codes	In ICD-10-CM, a nonunion is coded by site and represented by the appropriate 7 <sup>th</sup> character extension.*
<b>735.4</b>	Other hammer toe (acquired)
ICD-10-CM Codes	<b>M20.40</b> Other hammer toe(s) (acquired), unspecified foot <b>M20.41</b> Other hammer toe(s) (acquired), right foot <b>M20.42</b> Other hammer toe(s) (acquired), left foot
<b>735.2</b>	Hallux rigidus
ICD-10-CM Codes	<b>M20.20</b> Hallux rigidus, unspecified foot <b>M20.21</b> Hallux rigidus, right foot <b>M20.22</b> Hallux rigidus, left foot



ICD-9-CM Code	ICD-10-CM Code(s)	
<b>836.2</b>	Other tear of cartilage or meniscus of knee, current	
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S83</b>		
<b>A</b>	initial encounter	
<b>D</b>	subsequent	
<b>S</b>	sequela	
ICD-10-CM Codes	<b>*This code requires a 7<sup>th</sup> character extender</b>	
	<b>S83.203</b>	Other tear of unspecified meniscus, current injury, right knee
	<b>S83.204</b>	Other tear of unspecified meniscus, current injury, left knee
	<b>S83.205</b>	Other tear of unspecified meniscus, current injury, unspecified knee
<b>250.00</b>	Diabetes mellitus without mention of complications, type II or unspecified type, not stated as uncontrolled	<b>E11.9</b> Type 2 diabetes mellitus without complications
<b>729.5</b>	Pain in limb	
ICD-10-CM Codes	<b>M79.609</b> Pain in unspecified limb <b>M79.601</b> Pain in right arm <b>M79.602</b> Pain in left arm <b>M79.603</b> Pain in arm, unspecified <b>M79.604</b> Pain in right leg <b>M79.605</b> Pain in left leg <b>M79.606</b> Pain in leg, unspecified <b>M79.621</b> Pain in right upper arm <b>M79.622</b> Pain in left upper arm <b>M79.629</b> Pain in unspecified upper arm <b>M79.631</b> Pain in right forearm <b>M79.632</b> Pain in left forearm <b>M79.639</b> Pain in unspecified forearm <b>M79.641</b> Pain in right hand <b>M79.642</b> Pain in left hand <b>M79.643</b> Pain in unspecified hand <b>M79.644</b> Pain in right finger(s) <b>M79.645</b> Pain in left finger(s) <b>M79.646</b> Pain in unspecified finger(s) <b>M79.651</b> Pain in right thigh <b>M79.652</b> Pain in left thigh <b>M79.659</b> Pain in unspecified thigh <b>M79.661</b> Pain in right lower leg <b>M79.662</b> Pain in left lower leg <b>M79.669</b> Pain in unspecified lower leg <b>M79.671</b> Pain in right foot <b>M79.672</b> Pain in left foot <b>M79.673</b> Pain in unspecified foot <b>M79.674</b> Pain in right toe(s) <b>M79.675</b> Pain in left toe(s) <b>M79.676</b> Pain in unspecified toe(s)	
<b>823.0</b>	Fracture of tibia, upper end, closed	
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S82.1</b>		
<b>A</b>	initial encounter for closed fracture	
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS	
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC	

ICD-9-CM Code	ICD-10-CM Code(s)	
<b>D</b>	subsequent encounter for closed fracture with routine healing	
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing	
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing	
<b>G</b>	subsequent encounter for closed fracture with delayed healing	
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing	
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing	
<b>K</b>	subsequent encounter for closed fracture with nonunion	
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion	
<b>N</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion	
<b>P</b>	subsequent encounter for closed fracture with malunion	
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion	
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion	
<b>S</b>	sequela	
ICD-10-CM Codes	<b>*This code requires a 7<sup>th</sup> character extender</b>	
	<b>S82.101</b>	Unspecified fracture of upper end of right tibia
	<b>S82.102</b>	Unspecified fracture of upper end of left tibia
	<b>S82.109</b>	Unspecified fracture of upper end of unspecified tibia
	<b>S82.111</b>	Displaced fracture of right tibial spine
	<b>S82.112</b>	Displaced fracture of left tibial spine
	<b>S82.113</b>	Displaced fracture of unspecified tibial spine
	<b>S82.114</b>	Nondisplaced fracture of right tibial spine
	<b>S82.115</b>	Nondisplaced fracture of left tibial spine
	<b>S82.116</b>	Nondisplaced fracture of unspecified tibial spine
	<b>S82.121</b>	Displaced fracture of lateral condyle of right tibia
	<b>S82.122</b>	Displaced fracture of lateral condyle of left tibia
	<b>S82.123</b>	Displaced fracture of lateral condyle of unspecified tibia
	<b>S82.124</b>	Nondisplaced fracture of lateral condyle of right tibia
	<b>S82.125</b>	Nondisplaced fracture of lateral condyle of left tibia
	<b>S82.126</b>	Nondisplaced fracture of lateral condyle of unspecified tibia
	<b>S82.131</b>	Displaced fracture of medial condyle of right tibia
	<b>S82.132</b>	Displaced fracture of medial condyle of left tibia
	<b>S82.133</b>	Displaced fracture of medial condyle of unspecified tibia
	<b>S82.134</b>	Nondisplaced fracture of medial condyle of right tibia
	<b>S82.135</b>	Nondisplaced fracture of medial condyle of left tibia
	<b>S82.136</b>	Nondisplaced fracture of medial condyle of unspecified tibia
	<b>S82.141</b>	Displaced bicondylar fracture of right tibia
	<b>S82.142</b>	Displaced bicondylar fracture of left tibia
	<b>S82.143</b>	Displaced bicondylar fracture of unspecified tibia
	<b>S82.144</b>	Nondisplaced bicondylar fracture of right tibia
	<b>S82.145</b>	Nondisplaced bicondylar fracture of left tibia
	<b>S82.146</b>	Nondisplaced bicondylar fracture of unspecified tibia
	<b>S82.151</b>	Displaced fracture of right tibial tuberosity
	<b>S82.152</b>	Displaced fracture of left tibial tuberosity
	<b>S82.153</b>	Displaced fracture of unspecified tibial tuberosity
	<b>S82.154</b>	Nondisplaced fracture of right tibial tuberosity
	<b>S82.155</b>	Nondisplaced fracture of left tibial tuberosity
	<b>S82.156</b>	Nondisplaced fracture of unspecified tibial tuberosity



ICD-9-CM Code	ICD-10-CM Code(s)
<b>717.3</b>	Other and unspecified derangement of medial meniscus
ICD-10-CM Codes	<p><b>M23.231</b> Derangement of other medial meniscus due to old tear or injury, right knee</p> <p><b>M23.232</b> Derangement of other medial meniscus due to old tear or injury, left knee</p> <p><b>M23.239</b> Derangement of other medial meniscus due to old tear or injury, unspecified knee</p> <p><b>M23.303</b> Other meniscus derangements, unspecified medial meniscus, right knee</p> <p><b>M23.304</b> Other meniscus derangements, unspecified medial meniscus, left knee</p> <p><b>M23.305</b> Other meniscus derangements, unspecified medial meniscus, unspecified knee</p> <p><b>M23.331</b> Other meniscus derangements, other medial meniscus, right knee</p> <p><b>M23.332</b> Other meniscus derangements, other medial meniscus, left knee</p> <p><b>M23.339</b> Other meniscus derangements, other medial meniscus, unspecified knee</p>
<b>726.1</b>	Achilles bursitis or tendinitis
ICD-10-CM Codes	<p><b>M76.60</b> Achilles tendinitis, unspecified leg</p> <p><b>M76.61</b> Achilles tendinitis, right leg</p> <p><b>M76.62</b> Achilles tendinitis, left leg</p>
<b>845.09</b>	Sprain and strain of ankle and foot, other
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S93</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S93.401</b> Sprain of unspecified ligament of right ankle</p> <p><b>S93.402</b> Sprain of unspecified ligament of left ankle</p> <p><b>S93.409</b> Sprain of unspecified ligament of unspecified ankle</p> <p><b>S93.411</b> Sprain of calcaneofibular ligament of right ankle</p> <p><b>S93.412</b> Sprain of calcaneofibular ligament of left ankle</p> <p><b>S93.419</b> Sprain of calcaneofibular ligament of unspecified ankle</p> <p><b>S93.421</b> Sprain of deltoid ligament of right ankle</p> <p><b>S93.422</b> Sprain of deltoid ligament of left ankle</p> <p><b>S93.429</b> Sprain of deltoid ligament of unspecified ankle</p> <p><b>S93.431</b> Sprain of tibiofibular ligament of right ankle</p> <p><b>S93.432</b> Sprain of tibiofibular ligament of left ankle</p> <p><b>S93.439</b> Sprain of tibiofibular ligament of unspecified ankle</p> <p><b>S93.491</b> Sprain of other ligament of right ankle</p> <p><b>S93.492</b> Sprain of other ligament of left ankle</p> <p><b>S93.499</b> Sprain of other ligament of unspecified ankle</p> <p><b>S93.601</b> Unspecified sprain of right foot</p> <p><b>S93.602</b> Unspecified sprain of left foot</p> <p><b>S93.609</b> Unspecified sprain of unspecified foot</p> <p><b>S93.611</b> Sprain of tarsal ligament of right foot</p> <p><b>S93.612</b> Sprain of tarsal ligament of left foot</p> <p><b>S93.619</b> Sprain of tarsal ligament of unspecified foot</p> <p><b>S93.621</b> Sprain of tarsometatarsal ligament of right foot</p> <p><b>S93.622</b> Sprain of tarsometatarsal ligament of left foot</p> <p><b>S93.629</b> Sprain of tarsometatarsal ligament of unspecified foot</p> <p><b>S93.691</b> Other sprain of right foot</p> <p><b>S93.692</b> Other sprain of left foot</p> <p><b>S93.699</b> Other sprain of unspecified foot</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>715.17</b>	Osteoarthritis, localized, primary, ankle and foot
ICD-10-CM Codes	<p><b>M19.071</b> Primary osteoarthritis, right ankle and foot</p> <p><b>M19.072</b> Primary osteoarthritis, left ankle and foot</p> <p><b>M19.079</b> Primary osteoarthritis, unspecified ankle and foot</p>
<b>717.83</b>	Old disruption of anterior cruciate ligament
ICD-10-CM Codes	<p><b>M23.611</b> Other spontaneous disruption of anterior cruciate ligament of right knee</p> <p><b>M23.612</b> Other spontaneous disruption of anterior cruciate ligament of left knee</p> <p><b>M23.619</b> Other spontaneous disruption of anterior cruciate ligament of unspecified knee</p>
<b>727.06</b>	Tenosynovitis of foot and ankle
ICD-10-CM Codes	<p><b>M65.171</b> Other infective (teno)synovitis, right ankle and foot</p> <p><b>M65.172</b> Other infective (teno)synovitis, left ankle and foot</p> <p><b>M65.179</b> Other infective (teno)synovitis, unspecified ankle and foot</p> <p><b>M65.871</b> Other synovitis and tenosynovitis, right ankle and foot</p> <p><b>M65.872</b> Other synovitis and tenosynovitis, left ankle and foot</p> <p><b>M65.879</b> Other synovitis and tenosynovitis, unspecified ankle and foot</p>
<b>822.0</b>	Fracture of patella, closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S82.0</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S82.001</b> Unspecified fracture of right patella</p> <p><b>S82.002</b> Unspecified fracture of left patella</p>





ICD-9-CM Code	ICD-10-CM Code(s)
<b>822.0</b>	Continued
ICD-10-CM Codes	<p><b>S82.009</b> Unspecified fracture of unspecified patella</p> <p><b>S82.011</b> Displaced osteochondral fracture of right patella</p> <p><b>S82.012</b> Displaced osteochondral fracture of left patella</p> <p><b>S82.013</b> Displaced osteochondral fracture of unspecified patella</p> <p><b>S82.014</b> Nondisplaced osteochondral fracture of right patella</p> <p><b>S82.015</b> Nondisplaced osteochondral fracture of left patella</p> <p><b>S82.016</b> Nondisplaced osteochondral fracture of unspecified patella</p> <p><b>S82.021</b> Displaced longitudinal fracture of right patella</p> <p><b>S82.022</b> Displaced longitudinal fracture of left patella</p> <p><b>S82.023</b> Displaced longitudinal fracture of unspecified patella</p> <p><b>S82.024</b> Nondisplaced longitudinal fracture of right patella</p> <p><b>S82.025</b> Nondisplaced longitudinal fracture of left patella</p> <p><b>S82.026</b> Nondisplaced longitudinal fracture of unspecified patella</p> <p><b>S82.031</b> Displaced transverse fracture of right patella</p> <p><b>S82.032</b> Displaced transverse fracture of left patella</p> <p><b>S82.033</b> Displaced transverse fracture of unspecified patella</p> <p><b>S82.034</b> Nondisplaced transverse fracture of right patella</p> <p><b>S82.035</b> Nondisplaced transverse fracture of left patella</p> <p><b>S82.036</b> Nondisplaced transverse fracture of unspecified patella</p> <p><b>S82.041</b> Displaced comminuted fracture of right patella</p> <p><b>S82.042</b> Displaced comminuted fracture of left patella</p> <p><b>S82.043</b> Displaced comminuted fracture of unspecified patella</p> <p><b>S82.044</b> Nondisplaced comminuted fracture of right patella</p> <p><b>S82.045</b> Nondisplaced comminuted fracture of left patella</p> <p><b>S82.046</b> Nondisplaced comminuted fracture of unspecified patella</p> <p><b>S82.091</b> Other fracture of right patella</p> <p><b>S82.092</b> Other fracture of left patella</p> <p><b>S82.099</b> Other fracture of unspecified patella</p>
<b>733.42</b>	Aseptic necrosis of bone, head and neck of femur
ICD-10-CM Codes	<p><b>M87.051</b> Idiopathic aseptic necrosis of right femur</p> <p><b>M87.052</b> Idiopathic aseptic necrosis of left femur</p> <p><b>M87.059</b> Idiopathic aseptic necrosis of unspecified femur</p>
<b>736.79</b>	Acquired deformities of ankle and foot, other
ICD-10-CM Codes	<p><b>M21.6x1</b> Other acquired deformities of right foot</p> <p><b>M21.6x2</b> Other acquired deformities of left foot</p> <p><b>M21.6x9</b> Other acquired deformities of unspecified foot</p> <p><b>M21.961</b> Unspecified acquired deformity of right lower leg</p> <p><b>M21.962</b> Unspecified acquired deformity of left lower leg</p> <p><b>M21.969</b> Unspecified acquired deformity of unspecified lower leg</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>715.96</b>	Osteoarthritis, unspecified whether generalized or localized, lower leg
ICD-10-CM Codes	<p><b>M16.0</b> Bilateral primary osteoarthritis of hip</p> <p><b>M16.10</b> Unilateral primary osteoarthritis, unspecified hip</p> <p><b>M16.11</b> Unilateral primary osteoarthritis, right hip</p> <p><b>M16.12</b> Unilateral primary osteoarthritis, left hip</p> <p><b>M16.6</b> Other bilateral secondary osteoarthritis of hip</p> <p><b>M16.7</b> Other unilateral secondary osteoarthritis of hip</p> <p><b>M16.9</b> Osteoarthritis of hip, unspecified</p> <p><b>M17.0</b> Bilateral primary osteoarthritis of knee</p> <p><b>M17.10</b> Unilateral primary osteoarthritis, unspecified knee</p> <p><b>M17.11</b> Unilateral primary osteoarthritis, right knee</p> <p><b>M17.12</b> Unilateral primary osteoarthritis, left knee</p> <p><b>M19.271</b> Secondary osteoarthritis, right ankle and foot</p> <p><b>M19.272</b> Secondary osteoarthritis, left ankle and foot</p> <p><b>M19.279</b> Secondary osteoarthritis, unspecified ankle and foot</p>
<b>821.20</b>	Femur fracture, lower end, unspecified part
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S72</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S72.401</b> Unspecified fracture of lower end of right femur</p> <p><b>S72.402</b> Unspecified fracture of lower end of left femur</p> <p><b>S72.409</b> Unspecified fracture of lower end of unspecified femur</p>
<b>996.49</b>	Other mechanical complication of other internal orthopedic device, implant, and graft
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T84</b>	
<b>A</b>	initial encounter for closed fracture
<b>D</b>	subsequent encounter for fracture with routine healing



ICD-9-CM Code	ICD-10-CM Code(s)
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>**These codes require a 7<sup>th</sup> character extender.</b></p> <p><b>* The characters listed below are subcategories, further detail is necessary.</b></p> <p><b>T84.03</b> Mechanical loosening of internal prosthetic joint</p> <p><b>T84.09</b> Other mechanical complication of internal joint prosthesis</p> <p><b>T84.11</b> Breakdown (mechanical) of internal fixation device of bones of limbs</p> <p><b>T84.19</b> Other mechanical complication of internal fixation device of bones of limb</p> <p><b>T84.21</b> Breakdown (mechanical) of internal fixation device of other bones</p> <p><b>T84.29</b> Other mechanical complication of internal fixation device of other bones</p> <p><b>T84.31</b> Breakdown (mechanical) of other bone devices, implants and grafts</p> <p><b>T84.39</b> Other mechanical complication of other bone devices, implants and grafts</p> <p><b>T84.41</b> Breakdown (mechanical) of other internal orthopedic devices, implants and grafts</p> <p><b>T84.49</b> Other mechanical complication of other internal orthopedic devices, implants and grafts</p>
<b>836.1</b>	Tear of lateral cartilage or meniscus of knee, current
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S83</b>	
<b>A</b>	initial encounter
<b>D</b>	subsequent
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S83.251</b> Bucket-handle tear of lateral meniscus, current injury, right knee</p> <p><b>S83.252</b> Bucket-handle tear of lateral meniscus, current injury, left knee</p> <p><b>S83.259</b> Bucket-handle tear of lateral meniscus, current injury, unspecified knee</p> <p><b>S83.261</b> Peripheral tear of lateral meniscus, current injury, right knee</p> <p><b>S83.262</b> Peripheral tear of lateral meniscus, current injury, left knee</p> <p><b>S83.269</b> Peripheral tear of lateral meniscus, current injury, unspecified knee</p> <p><b>S83.271</b> Complex tear of lateral meniscus, current injury, right knee</p> <p><b>S83.272</b> Complex tear of lateral meniscus, current injury, left knee</p> <p><b>S83.279</b> Complex tear of lateral meniscus, current injury, unspecified knee</p> <p><b>S83.281</b> Other tear of lateral meniscus, current injury, right knee</p> <p><b>S83.282</b> Other tear of lateral meniscus, current injury, left knee</p> <p><b>S83.289</b> Other tear of lateral meniscus, current injury, unspecified knee</p>
<b>726.72</b>	Tibialis tendinitis
ICD-10-CM Codes	<p><b>M76.821</b> Posterior tibial tendinitis, right leg</p> <p><b>M76.822</b> Posterior tibial tendinitis, left leg</p> <p><b>M76.829</b> Posterior tibial tendinitis, unspecified leg</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>215.3</b>	Benign neoplasm of connective and other soft tissue, lower limb, including hip
ICD-10-CM Codes	<p><b>D21.20</b> Benign neoplasm of connective and other soft tissue of unspecified lower limb, including hip</p> <p><b>D21.21</b> Benign neoplasm of connective and other soft tissue of right lower limb, including hip</p> <p><b>D21.22</b> Benign neoplasm of connective and other soft tissue of left lower limb, including hip</p>
<b>250.61</b>	Diabetes with neurological manifestations, type I, not stated as uncontrolled
ICD-10-CM Codes	<p><b>E10.40</b> Type 1 diabetes mellitus with diabetic neuropathy, unspecified</p> <p><b>E10.41</b> Type 1 diabetes mellitus with diabetic mononeuropathy</p> <p><b>E10.42</b> Type 1 diabetes mellitus with diabetic polyneuropathy</p> <p><b>E10.43</b> Type 1 diabetes mellitus with diabetic autonomic (poly) neuropathy</p> <p><b>E10.44</b> Type 1 diabetes mellitus with diabetic amyotrophy</p> <p><b>E10.49</b> Type 1 diabetes mellitus with other diabetic neurological complication</p>
<b>726.91</b>	Exostosis of unspecified site
	<b>M89.9</b> Disorder of bone, unspecified
<b>824.2</b>	Fracture of lateral malleolus, closed
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S82</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I or II —initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<p><b>*These codes require a 7<sup>th</sup> character extender</b></p> <p><b>S82.61x</b> Displaced fracture of lateral malleolus of right fibula</p> <p><b>S82.62x</b> Displaced fracture of lateral malleolus of left fibula</p> <p><b>S82.63x</b> Displaced fracture of lateral malleolus of unspecified fibula</p>



ICD-9-CM Code	ICD-10-CM Code(s)
<b>824.2</b>	Continued
ICD-10-CM Codes	<b>S82.64x</b> Nondisplaced fracture of lateral malleolus of right fibula <b>S82.65x</b> Nondisplaced fracture of lateral malleolus of left fibula <b>S82.66x</b> Nondisplaced fracture of lateral malleolus of unspecified fibula
<b>821.00</b>	Fracture of unspecified part of femur
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S42</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIa, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b> <b>S42.201</b> Unspecified fracture of upper end of right humerus <b>S42.202</b> Unspecified fracture of upper end of left humerus <b>S42.209</b> Unspecified fracture of upper end of unspecified humerus <b>S42.271</b> Torus fracture of upper end of right humerus <b>S42.272</b> Torus fracture of upper end of left humerus <b>S42.279</b> Torus fracture of upper end of unspecified humerus <b>S42.291</b> Other displaced fracture of upper end of right humerus <b>S42.292</b> Other displaced fracture of upper end of left humerus <b>S42.293</b> Other displaced fracture of upper end of unspecified humerus <b>S42.294</b> Other nondisplaced fracture of upper end of right humerus <b>S42.295</b> Other nondisplaced fracture of upper end of left humerus <b>S42.296</b> Other nondisplaced fracture of upper end of unspecified humerus
<b>727.68</b>	Rupture of other tendons of foot and ankle, nontraumatic
ICD-10-CM Codes	<b>M66.871</b> Spontaneous rupture of other tendons, right ankle and foot <b>M66.872</b> Spontaneous rupture of other tendons, left ankle and foot <b>M66.879</b> Spontaneous rupture of other tendons, unspecified ankle and foot

ICD-9-CM Code	ICD-10-CM Code(s)
<b>738.4</b>	Acquired spondylolisthesis
ICD-10-CM Codes	<b>M43.10</b> Spondylolisthesis, site unspecified <b>M43.11</b> Spondylolisthesis, occipito-atlanto-axial region <b>M43.12</b> Spondylolisthesis, cervical region <b>M43.13</b> Spondylolisthesis, cervicothoracic region <b>M43.14</b> Spondylolisthesis, thoracic region <b>M43.15</b> Spondylolisthesis, thoracolumbar region <b>M43.16</b> Spondylolisthesis, lumbar region <b>M43.17</b> Spondylolisthesis, lumbosacral region <b>M43.18</b> Spondylolisthesis, sacral and sacrococcygeal region <b>M43.19</b> Spondylolisthesis, multiple sites in spine
<b>730.17</b>	Chronic osteomyelitis, ankle and foot
ICD-10-CM Codes	<b>M86.671</b> Other chronic osteomyelitis, right ankle and foot <b>M86.672</b> Other chronic osteomyelitis, left ankle and foot <b>M86.679</b> Other chronic osteomyelitis, unspecified ankle and foot
<b>728.71</b>	Plantar fascial fibromatosis
	<b>M72.2</b> Plantar fascial fibromatosis
<b>821.00</b>	Fracture of unspecified part of femur
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>S72</b>	
<b>A</b>	initial encounter for closed fracture
<b>B</b>	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
<b>C</b>	initial encounter for open fracture type IIIA, IIB, or IIIC
<b>D</b>	subsequent encounter for closed fracture with routine healing
<b>E</b>	subsequent encounter for open fracture of type I or II with routine healing
<b>F</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
<b>G</b>	subsequent encounter for closed fracture with delayed healing
<b>H</b>	subsequent encounter for open fracture type I or II with delayed healing
<b>J</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
<b>K</b>	subsequent encounter for closed fracture with nonunion
<b>M</b>	subsequent encounter for open fracture type I or II with nonunion
<b>N</b>	subsequent encounter for open fracture type IIIa, IIB, or IIIC with nonunion
<b>P</b>	subsequent encounter for closed fracture with malunion
<b>Q</b>	subsequent encounter for open fracture type I or II with malunion
<b>R</b>	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b> <b>S72.90x</b> Unspecified fracture of unspecified femur <b>S72.91x</b> Unspecified fracture of right femur <b>S72.92x</b> Unspecified fracture of left femur <b>S72.8x1</b> Other fracture of right femur <b>S72.8x2</b> Other fracture of left femur <b>S72.8x9</b> Other fracture of unspecified femur





ICD-9-CM Code	ICD-10-CM Code(s)
<b>824.7</b>	Fracture trimalleolar, open
The appropriate 7 <sup>th</sup> character is to be added to each code from subcategory <b>S82.8</b>	
<b>A</b>	initial encounter for closed fracture
<b>D</b>	subsequent encounter for fracture with routine healing
<b>G</b>	subsequent encounter for fracture with delayed healing
<b>K</b>	subsequent encounter for fracture with nonunion
<b>P</b>	subsequent encounter for fracture with malunion
<b>S</b>	sequela
ICD-10-CM Codes	<b>*These codes require a 7<sup>th</sup> character extender</b>
	<b>S82.851</b> Displaced trimalleolar fracture of right lower leg
	<b>S82.852</b> Displaced trimalleolar fracture of left lower leg
	<b>S82.853</b> Displaced trimalleolar fracture of unspecified lower leg
	<b>S82.854</b> Nondisplaced trimalleolar fracture of right lower leg
	<b>S82.855</b> Nondisplaced trimalleolar fracture of left lower leg
	<b>S82.856</b> Nondisplaced trimalleolar fracture of unspecified lower leg

ICD-9-CM Code	ICD-10-CM Code(s)
<b>718.56</b>	Ankylosis of joint in lower leg
ICD-10-CM Codes	<b>M24.651</b> Ankylosis, right hip
	<b>M24.652</b> Ankylosis, left hip
	<b>M24.659</b> Ankylosis, unspecified hip
	<b>M24.661</b> Ankylosis, right knee
	<b>M24.662</b> Ankylosis, left knee
	<b>M24.669</b> Ankylosis, unspecified knee
	<b>M24.671</b> Ankylosis, right ankle
	<b>M24.672</b> Ankylosis, left ankle
	<b>M24.673</b> Ankylosis, unspecified ankle
	<b>M24.674</b> Ankylosis, right foot
	<b>M24.675</b> Ankylosis, left foot
	<b>M24.676</b> Ankylosis, unspecified foot
<b>716.17</b>	Traumatic arthropathy of ankle and foot
ICD-10-CM Codes	<b>M12.571</b> Traumatic arthropathy, right ankle and foot
	<b>M12.572</b> Traumatic arthropathy, left ankle and foot
	<b>M12.579</b> Traumatic arthropathy, unspecified ankle and foot

For any category that requires a 7th character extender that does not include 6 characters, a dummy placeholder must be used to fill in the missing characters. In ICD-10-CM this is identified by the letter x.

In ICD-10-CM a fracture not indicated as nondisplaced or displaced should be classified to displaced. A fracture not indicated as open or closed should be coded to closed.

# Fast Forward

to ICD-10



*Fast Forward*

*to ICD-10*



ICD-10