

ICD-9-CM Code	ICD-10-CM Code(s)
V20.2	Routine infant or child health check
ICD-10-CM Codes	Z00.121 Encounter for routine child health examination with abnormal findings ** Use additional code to identify abnormal findings Z00.129 Encounter for routine child health examination without abnormal findings
V72.19	Other examination of ears and hearing
ICD-10-CM Codes	Z01.10 Encounter for examination of ears and hearing without abnormal findings Z01.110 Encounter for hearing examination following failed hearing screening Z01.118 Encounter for examination of ears and hearing with other abnormal findings ** Use additional code to identify abnormal findings
V72.0	Examination of eyes and vision
ICD-10-CM Codes	Z01.00 Encounter for examination of eyes and vision without abnormal findings Z01.01 Encounter for examination of eyes and vision with abnormal findings ** Use additional code to identify abnormal findings
493.00	Extrinsic asthma, unspecified
ICD-10-CM Codes	J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
465.9	Acute upper respiratory infection of unspecified site
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract
382.9	Unspecified otitis media
ICD-10-CM Codes	H66.90 Otitis media, unspecified, unspecified ear ** Use additional code for any associated perforated tympanic membrane (H72-) ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: H66.91 Otitis media, unspecified, right ear H66.92 Otitis media, unspecified, let ear H66.93 Otitis media, unspecified, bilateral

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	There are more specific codes available for otitis media. These include: H65.00 Acute serous otitis media, unspecified ear H65.01 Acute serous otitis media, right ear H65.02 Acute serous otitis media, left ear H65.03 Acute serous otitis media, bilateral H65.04 Acute serous otitis media, recurrent, right ear H65.05 Acute serous otitis media, recurrent, left ear H65.06 Acute serous otitis media, recurrent, bilateral H65.07 Acute serous otitis media, recurrent, unspecified ear H65.111 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), right ear H65.112 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear H65.113 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral H65.114 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear H65.115 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear H65.116 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral H65.117 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, unspecified ear H65.119 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), unspecified ear H65.191 Other acute nonsuppurative otitis media, right ear H65.192 Other acute nonsuppurative otitis media, left ear H65.193 Other acute nonsuppurative otitis media, bilateral H65.194 Other acute nonsuppurative otitis media, recurrent, right ear H65.195 Other acute nonsuppurative otitis media, recurrent, left ear H65.196 Other acute nonsuppurative otitis media, recurrent, bilateral H65.197 Other acute nonsuppurative otitis media, recurrent, unspecified ear H65.199 Other acute nonsuppurative otitis media, unspecified ear H65.20 Chronic serous otitis media, unspecified ear H65.21 Chronic serous otitis media, right ear H65.22 Chronic serous otitis media, left ear H65.23 Chronic serous otitis media, bilateral H65.30 Chronic mucoid otitis media, unspecified ear H65.31 Chronic mucoid otitis media, right ear H65.32 Chronic mucoid otitis media, left ear H65.33 Chronic mucoid otitis media, bilateral H65.411 Chronic allergic otitis media, right ear H65.412 Chronic allergic otitis media, left ear H65.413 Chronic allergic otitis media, bilateral H65.419 Chronic allergic otitis media, unspecified ear H65.491 Other chronic nonsuppurative otitis media, right ear H65.492 Other chronic nonsuppurative otitis media, left ear H65.493 Other chronic nonsuppurative otitis media, bilateral H65.499 Other chronic nonsuppurative otitis media, unspecified ear H65.90 Unspecified nonsuppurative otitis media, unspecified ear H65.91 Unspecified nonsuppurative otitis media, right ear H65.92 Unspecified nonsuppurative otitis media, left ear H65.93 Unspecified nonsuppurative otitis media, bilateral H66.001 Acute suppurative otitis media without spontaneous rupture of ear drum, right ear H66.002 Acute suppurative otitis media without spontaneous rupture of ear drum, left ear



ICD-9-CM Code	ICD-10-CM Code(s)
382.9	Unspecified otitis mediaContinued
ICD-10-CM Codes (cont.)	<p>H66.003 Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral</p> <p>H66.004 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear</p> <p>H66.005 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.006 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.007 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.009 Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear</p> <p>H66.011 Acute suppurative otitis media with spontaneous rupture of ear drum, right ear</p> <p>H66.012 Acute suppurative otitis media with spontaneous rupture of ear drum, left ear</p> <p>H66.013 Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral</p> <p>H66.014 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear</p> <p>H66.015 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.016 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.017 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.019 Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear</p> <p>H66.10 Chronic tubotympanic suppurative otitis media, unspecified</p> <p>H66.11 Chronic tubotympanic suppurative otitis media, right ear</p> <p>H66.12 Chronic tubotympanic suppurative otitis media, left ear</p> <p>H66.13 Chronic tubotympanic suppurative otitis media, bilateral</p> <p>H66.20 Chronic atticoantral suppurative otitis media, unspecified ear</p> <p>H66.21 Chronic atticoantral suppurative otitis media, right ear</p> <p>H66.22 Chronic atticoantral suppurative otitis media, left ear</p> <p>H66.23 Chronic atticoantral suppurative otitis media, bilateral</p> <p>H66.3X1 Other chronic suppurative otitis media, right ear</p> <p>H66.3X2 Other chronic suppurative otitis media, left ear</p> <p>H66.3X3 Other chronic suppurative otitis media, bilateral</p> <p>H66.3X9 Other chronic suppurative otitis media, unspecified ear</p> <p>H66.40 Suppurative otitis media, unspecified, unspecified ear</p> <p>H66.41 Suppurative otitis media, unspecified, right ear</p> <p>H66.42 Suppurative otitis media, unspecified, left ear</p> <p>H66.43 Suppurative otitis media, unspecified, bilateral</p> <p>H67.1 Otitis media in diseases classified elsewhere, right ear</p> <p>H67.2 Otitis media in diseases classified elsewhere, left ear</p> <p>H67.3 Otitis media in diseases classified elsewhere, bilateral</p> <p>H67.9 Otitis media in diseases classified elsewhere, unspecified ear</p> <p>**Code first underlying disease, such as: viral disease NEC (B00-B34)</p> <p>** Use additional code for any associated perforated tympanic membrane (H72-)</p> <p>** Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
785.2	Undiagnosed cardiac murmurs R01.1 Cardiac murmur, unspecified
462	Acute pharyngitis
ICD-10-CM Codes	<p>J02.8 Acute pharyngitis due to other specified organisms</p> <p>** Use additional code (B95-B97) to identify infectious agent</p> <p>J02.0 Streptococcal pharyngitis</p> <p>J02.9 Acute pharyngitis, unspecified</p>
277.00	Cystic fibrosis without mention of meconium ileus
ICD-10-CM Codes	<p>E84.9 Cystic fibrosis, unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>E84.0 Cystic fibrosis with pulmonary manifestations</p> <p>** Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5)</p> <p>E84.11 Meconium ileus in cystic fibrosis</p> <p>E84.19 Cystic fibrosis with other intestinal manifestations</p> <p>E84.8 Cystic fibrosis with other manifestations</p>
204.00	Acute lymphoid leukemia without mention of having achieved remission/failed remission
ICD-10-CM Codes	<p>C91.90 Lymphoid leukemia, unspecified not having achieved remission</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>C91.00 Acute lymphoblastic leukemia not having achieved remission</p> <p>C91.10 Chronic lymphocytic leukemia of B-cell type not having achieved remission</p> <p>C91.30 Prolymphocytic leukemia of B-cell type not having achieved remission</p> <p>C91.40 Hairy cell leukemia not having achieved remission</p> <p>C91.50 Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission</p> <p>C91.60 Prolymphocytic leukemia of T-cell type not having achieved remission</p> <p>C91.A0 Mature B-cell leukemia Burkitt-type not having achieved remission</p> <p>C91.Z0 Other lymphoid leukemia not having achieved remission</p>
250.01	Diabetes mellitus without mention of complication, type I, not stated as uncontrolled E10.9 Type 1 diabetes mellitus without complications
194.0	Malignant neoplasm of adrenal gland
ICD-10-CM Codes	<p>C74.90 Malignant neoplasm of unspecified part of unspecified adrenal gland</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>C74.00 Malignant neoplasm of cortex of unspecified adrenal gland</p> <p>C74.01 Malignant neoplasm of cortex of right adrenal gland</p> <p>C74.02 Malignant neoplasm of cortex of left adrenal gland</p> <p>C74.10 Malignant neoplasm of medulla of unspecified adrenal gland</p> <p>C74.11 Malignant neoplasm of medulla of right adrenal gland</p> <p>C74.12 Malignant neoplasm of medulla of left adrenal gland</p> <p>C74.91 Malignant neoplasm of unspecified part of right adrenal gland</p> <p>C74.92 Malignant neoplasm of unspecified part of left adrenal gland</p>

ICD-9-CM Code	ICD-10-CM Code(s)
V74.1	Special screening examination for pulmonary tuberculosis Z11.1 Encounter for screening for respiratory tuberculosis
786.2	Cough R05 Cough
V01.1	Contact with or exposure to tuberculosis Z20.1 Contact with and (suspected) exposure to tuberculosis
779.5	Drug withdrawal syndrome in newborn
ICD-10-CM Codes	P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction P96.2 Withdrawal symptoms from therapeutic use of drugs in newborn
250.03	Diabetes mellitus without mention of complication, type I, uncontrolled E10.65 Type 1 diabetes mellitus with hyperglycemia
530.81	Esophageal reflux
ICD-10-CM Codes	K21.9 Gastro-esophageal reflux without esophagitis K21.0 Gastro-esophageal reflux with esophagitis
564.00	Constipation, unspecified
ICD-10-CM Codes	K59.00 Constipation, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: K59.01 Slow transit constipation K59.02 Outlet dysfunction constipation K59.09 Other constipation
493.90	Asthma, unspecified
ICD-10-CM Codes	J45.909 Unspecified asthma, uncomplicated ** There are more specific code choice selections available in ICD-10-CM. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma with status asthmaticus J45.30 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with (acute) exacerbation J45.32 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma, uncomplicated J45.41 Moderate persistent asthma with (acute) exacerbation J45.42 Moderate persistent asthma with status asthmaticus J45.50 Severe persistent asthma, uncomplicated J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with status asthmaticus J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.990 Exercise induced bronchospasm J45.991 Cough variant asthma J45.998 Other asthma ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)

ICD-9-CM Code	ICD-10-CM Code(s)
745.4	Ventricular septal defect Q21.0 Ventricular septal defect
745.5	Ostium secundum type atrial septal defect Q21.1 Atrial septal defect
034.0	Streptococcal sore throat J02.0 Streptococcal pharyngitis
789.00	Abdominal pain, unspecified site
ICD-10-CM Codes	R10.9 Unspecified abdominal pain ** There are more specific code choice selections available for use. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.13 Epigastric pain R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.84 Generalized abdominal pain
555.2	Regional enteritis, small intestine with large intestine
ICD-10-CM Codes	K50.80 Crohn's disease of both small and large intestine without complication ** There are more specific code choice selections available in ICD-10-CM. These include: K50.811 Crohn's disease of both small and large intestine with rectal bleeding K50.812 Crohn's disease of both small and large intestine with intestinal obstruction K50.813 Crohn's disease of both small and large intestine with fistula K50.814 Crohn's disease of both small and large intestine with abscess K50.818 Crohn's disease of both small and large intestine with other complication K50.819 Crohn's disease of both small and large intestine with unspecified complications **Use additional code to identify manifestations, such as: psoriasis gangrenosum (L88)
079.99	Unspecified viral infection B34.9 Viral infection, unspecified
314.01	Attention deficit disorder with hyperactivity
ICD-10-CM Codes	F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type * Note: codes within this category may be used regardless of the age of a patient. These disorders generally have onset within the childhood or adolescent years, but may continue throughout life or not be diagnosed until adulthood.
V65.49	Other specified counseling Z71.89 Other specified counseling

ICD-9-CM Code	ICD-10-CM Code(s)
V70.0	Routine general medical examination at a health care facility
ICD-10-CM Codes	Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings
789.07	Abdominal pain, generalized R10.84 Generalized abdominal pain
427.89	Other specified cardiac dysrhythmias I49.8 Other specified cardiac arrhythmias
486	Pneumonia, organism unspecified
ICD-10-CM Codes	J18.9 Pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1, J10.0-,-J11.0-)
780.60	Fever, unspecified
ICD-10-CM Codes	R50.9 Fever, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R50.2 Drug induced fever R50.81 Fever presenting with conditions classified elsewhere R50.82 Postprocedural fever R50.83 Postvaccination fever R50.84 Febrile nonhemolytic transfusion reaction
786.50	Chest pain, unspecified
ICD-10-CM Codes	R07.9 Chest pain, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R07.1 Chest pain on breathing R07.81 Pleurodynia R07.89 Other chest pain
714.30	Polyarticular juvenile rheumatoid arthritis, chronic or unspecified
ICD-10-CM Codes	M08.3 Juvenile rheumatoid polyarthritis (seronegative) M08.00 Unspecified juvenile rheumatoid arthritis of unspecified site ** Code also any associated underlying condition, such as: Regional enteritis (Crohn's disease) (K50-) Ulcerative colitis (K51-)
427.9	Cardiac dysrhythmia, unspecified
ICD-10-CM Codes	I49.9 Cardiac arrhythmia, unspecified ** Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4) ** There are more specific code choice selections available in ICD-10-CM. These include: I47.0 Re-entry ventricular arrhythmia I47.1 Supraventricular tachycardia I47.2 Ventricular tachycardia I47.9 Paroxysmal tachycardia, unspecified Continued on next page

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	** For I47.0 – I47.9 Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4) I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation I49.01 Ventricular fibrillation I49.02 Ventricular flutter I49.1 Atrial premature depolarization I49.2 Junctional premature depolarization I49.3 Ventricular premature depolarization I49.40 Unspecified premature depolarization I49.49 Other premature depolarization I49.5 Sick sinus syndrome I49.8 Other specified cardiac arrhythmias ** For I49.0-I49.9 Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4)
692.9	Contact dermatitis and other eczema, unspecified cause
ICD-10-CM Codes	L25.9 Unspecified contact dermatitis, unspecified nature ** Code first (T36-T65) to identify drug or substance L30.9 Dermatitis, unspecified ** There are more specific unspecified codes in ICD-10-CM. These include: L25.0 Unspecified contact dermatitis due to cosmetics L25.1 Unspecified contact dermatitis due to drugs in contact with skin L25.2 Unspecified contact dermatitis due to dyes L25.3 Unspecified contact dermatitis due to other chemical products L25.4 Unspecified contact dermatitis due to food in contact with skin L25.5 Unspecified contact dermatitis due to plants, except food L25.8 Unspecified contact dermatitis due to other agents ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
388.70	Otalgia, unspecified
ICD-10-CM Codes	H92.09 Otalgia, unspecified ear ** There are more specific code choice selections available in ICD-10-CM that should be used. These include: H92.01 Otalgia, right ear H92.02 Otalgia, left ear H92.03 Otalgia, bilateral
V04.81	Need for prophylactic vaccination and inoculation, Influenza
ICD-10-CM Codes	Z23 Encounter for immunization ** Code first any routine childhood examination ** Note: Procedure codes are required to identify the types of immunizations given. In ICD-10-CM there is only one diagnostic code available for immunizations
783.43	Short stature
ICD-10-CM Codes	E34.3 Short stature due to endocrine disorder R62.52 Short stature (child)

ICD-9-CM Code	ICD-10-CM Code(s)
204.01	Acute lymphoid leukemia in remission C91.01 Acute lymphoblastic leukemia, in remission
277.02	Cystic fibrosis with meconium ileus
ICD-10-CM Codes	E84.0 Cystic fibrosis with pulmonary manifestations **Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5)
461.9	Acute sinusitis, unspecified
ICD-10-CM Codes	J01.90 Acute sinusitis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: J01.00 Acute maxillary sinusitis, unspecified J01.01 Acute recurrent maxillary sinusitis J01.10 Acute frontal sinusitis, unspecified J01.11 Acute recurrent frontal sinusitis J01.20 Acute ethmoidal sinusitis, unspecified J01.21 Acute recurrent ethmoidal sinusitis J01.30 Acute sphenoidal sinusitis J01.31 Acute recurrent sphenoidal sinusitis J01.40 Acute pansinusitis, unspecified J01.41 Acute recurrent pansinusitis J01.80 Other acute sinusitis J01.81 Other acute recurrent sinusitis, unspecified J01.91 Acute recurrent sinusitis, unspecified
780.2	Syncope and collapse R55 Syncope and collapse

ICD-9-CM Code	ICD-10-CM Code(s)
795.5	Nonspecific reaction to tuberculin skin test without active tuberculosis
ICD-10-CM Codes	R76.1 Abnormal reaction to tuberculin test R76.11 Nonspecific reaction to tuberculin skin test without active tuberculosis R76.12 Nonspecific reaction to cell mediated immunity measurement of gamma interferon antigen response without active tuberculosis
787.91	Diarrhea
ICD-10-CM Codes	R19.7 Diarrhea, unspecified K59.1 Functional diarrhea **There are many combination codes in ICD-10-CM that include diarrhea as a manifestation
493.92	Asthma, unspecified with (acute) exacerbation
ICD-10-CM Codes	J45.901 Unspecified asthma with (acute) exacerbation ** There are more specific code choice selections available in ICD-10-CM. These include: J45.21 Mild intermittent asthma with (acute) exacerbation J45.31 Mild persistent asthma with (acute) exacerbation J45.41 Moderate persistent asthma with (acute) exacerbation J45.51 Severe persistent asthma with (acute) exacerbation
Multiple	Vaccinations and Inoculations
ICD-10-CM Codes	Z23 Encounter for immunization ** Code first any routine childhood examination ** Note: Procedure codes are required to identify the types of immunizations given. In ICD-10-CM there is only one diagnostic code available for immunizations

Fast Forward

to ICD-10



Fast Forward

to ICD-10

